Materials Science and Engineering, *99* (1988) 557–575

Cumulative Subject Index Vols. 97–99

Absorption
  amorphization of RFe_2 Laves phases by hydrogen absorption, **1** 35
  changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, **1** 223
Activation energy
  algorithm to calculate activation energy spectra for structural relaxation in amorphous alloys, **1** 545
  gaussian activation energy spectra in reversible and irreversible structural relaxation, **1** 469
Aerospace
  high performance aerospace alloys via rapid solidification processing, **2** 1
Age hardening
  age hardening response in rapidly quenched Mo alloys, **2** 363
Alloying effects
  alloying effects on the processing and properties of melt spun Ni–metalloid ribbons, **1** 207
Aluminium
  annealing behaviour of rapid solidification processed Al–Mo alloys, **2** 185
  characteristics of Ni_3Al + Fe powders produced by spark erosion quenching, **2** 33
  characterization and kinetics of the crystallization of Al–Ni–Si amorphous alloys, **1** 387
  development of Al–Cr–X and Al–Cr–Zr–X alloys by rapid solidification from the melt, **2** 143
  electron-microscopic investigation of the transformation behaviour of Al_6Mg_4Cu quasicrystalline alloy, **3** 393
  evaluation of Al and Ni alloy materials produced by spray deposition, **2** 227
  formation and crystallization of amorphous phases in the Ti–Be–Al system, **1** 379
  high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni–Fe–Al system **2** 515
  hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders, **2** 419
  improved corrosion resistance of rapidly solidified Fe–Al bronzes, **3** 493
  investigation of a rapidly solidified Al–Cr alloy using field ion microscopy–atom probe analysis and high resolution electron microscopy, **2** 197
  long-range ordering in rapidly quenched Ti–Al compounds, **2** 169
  microstructural characterization of rapidly solidified Al–Si alloys, **2** 149
  microstructural coarsening at high temperatures in rapidly solidfied Ti–5wt.%Al–2.9wt.%Y and Ti–5wt.%Al–7.5wt.%Th, **2** 173
  microstructural development in a rapidly solidified Al–5Mn–2.5Cr alloy, **2** 437
  microstructural stability of rapidly quenched Al–Fe alloys: influence of Zr, **2** 191
  microstructure and soft magnetic properties of rapidly solidified Fe–Al alloys, **3** 91
  microstructure development in undercooled Al–Al_2 alloys, **2** 153
  microstructure of rapidly solidified Al alloy powders for elevated temperature applications, **2** 221
  microstructure of rapidly solidified Al–Cr–Fe powder, **2** 61
  microstructures of rapidly solidified and heat-treated Al–8Fe–2Mo–Si alloys, **2** 131
  microstructure of Ti_3Al + Nb alloys produced via rapid solidification processing, **2** 395
  new quasi-crystalline and amorphous phases in rapidly quenched Al–Ge–(Cr, Mn) and Al–Si–(Cr, Mn) alloys with high metalloid concentrations, **3** 449
  pathways for microstructural development in TiAl, **2** 265
  preparation and electrical properties of aluminium-based ternary and quaternary quasicrystals, **3** 435
  production of rapidly solidified Al–Pb–Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction, **2** 119
  rapid solidification and ordering of B2 and $L2_1$ phase in the NiAl–NiTi system, **2** 273
  rapid solidification of Al-rich Al–V alloys, **2** 207
  rapid solidification of peritectic Al alloys, **2** 217
  rapidly solidified Fe–Ni–Al–C alloys: metastable phase formation, **2** 277
  shape memory effects in rapidly quenched Cu–12%Al and Cu–12%Al–1%Si alloys, **2** 509
  solidification of an "amorphous" phase in rapidly solidified Al–Fe–Si alloys, **2** 213
  solidification structures of planar flow cast Fe–(20–47)at.%Al ribbons, **2** 295
  stability of quasicrystalline phases in Al–Fe–V alloys, **3** 407
  structure of icosahedral Al–Mg–Cu alloy, **3** 423
  structure, properties and fracture of electron beam welds in RS–PM Al–8Fe–Mo, **2** 137
  study of small-angle X-ray scattering of Al–Ag alloys quenched from the liquid state, **2** 233
  technique for evaluating Al alloys for high pressure gas atomization, **2** 115
  tensile and fatigue properties of two high strength Al alloys prepared by rapid solidification technology, **2** 475
  tetragonal distortion and its relaxation in rapidly quenched $L1_0$ TiAl compounds, **2** 269
Al–Mn
  crystallization of icosahedral Al–Mn–Si, **3** 399
  crystallization of the Al–Mn icosahedral phase, **3** 389
  effect of solidification front velocity on the characteristics of Al-rich Al–Mn alloy solutions extended by rapid solidification, **2** 201
  electron transport in co-evaporated thin film and melt-spun ribbon $Al_{1-x}Mn_x$ alloys, **3** 219
  electronic properties and resonant states in Al–Mn(–Si) alloys, **3** 353
  electronic structure of quasicrystalline Al–Mn in comparison with amorphous and crystalline alloys, **3** 361
  high pressure induced crystallization of rapidly solidified Al–Fe and Al–Mn quasicrystalline alloys, **3** 413
  high pressure structural study of quasicrystalline Al–Mn, **3** 403
  influence of the quenching conditions on the formation of the icosahedral phase in Al–Mn alloys, **3** 453
  low temperature calorimetric and magnetic properties of Al–Mn and Al–Mn–Si quasicrystals, **3** 439
  pain distribution function in icosahedral Al–Mn–Si alloy, **3** 427
  peritectoid transformation of quasicrystals in Al–Mn alloys, **3** 417

© Elsevier Sequoia/Printed in the Netherlands

Al–Mn (continued)
quasicrystals and quasicrystal-related phases in the Al–Mn system, **3** 331
structure of quasicrystalline Al–Mn–Ru: X-ray and neutron studies, **3** 345
thermal stability of the icosahedral phase in Al–Mn (Mn ≡ 4–15 at.%) alloys prepared by planar flow casting, **3** 385
Amorphization
amorphization of Co-rich magnetic alloys by high energy ball milling, **1** 125
amorphization of metalloid-rich ferritic steel by a continuous CO_2 laser: a microstructural investigation, **2** 291
amorphization of RFe_2 Laves phase by hydrogen absorption, **1** 35
differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr, **1** 83
early stages of the solid state amorphization of crystalline layers, **1** 63
formation of amorphous alloys by solid state reactions, **1** 71
formation of amorphous phase by solid state reaction in elemental composites prepared by cold rolling, **1** 129
ion irradiation during a solid state amorphization reaction, **1** 97
solid state amorphization in Ni/Ti multilayers, **1** 101
strain-driven solid state amorphization of binary transition metal alloys, **1** 93
X-ray diffraction study of the amorphization process in mechanical alloying of the Ni–Ti system, **1** 43
Amorphous metals
impact of amorphous metals on the field of soft magnetic materials, **3** 1
Anelastic relaxation
anelastic relaxation in amorphous $Pd_{39.5}Ni_{39.5}P_{21}$, **1** 541
Anisotropy
influence of the induced anisotropy on the magnetic after-effect in amorphous $Co_{58}Ni_{10}Fe_5Si_{11}B_{16}$ alloy, **1** 519
Annealing
annealing behavior of rapid solidification processed Al–Mo alloys, **2** 185
Antimony
glass transition, crystallization and melting in Au–Pb–Sb alloys, **1** 301
Applications
chemical properties and applications of some amorphous alloys, **3** 475
Atom probe analysis
investigation of a rapidly solidified Al–Cr alloy using field ion microscopy–atom probe analysis and high resolution electron microscopy, **2** 197
Atomic structure
atomic structure of quasicrystals, **3** 323
Atomization
amorphous alloy powders with dispersed carbonitride particles prepared by high pressure nitrogen atomization, **1** 153
process control during high pressure atomization, **2** 47
Avrami exponent
local value of the Avrami exponent: a new approach to devitrification of glassy metallic ribbons, **1** 241

Ball milling
amorphization of Co-rich magnetic alloys by high energy ball milling, **1** 125
Beryllium
formation and crystallization of amorphous phases in the Ti–Be–Al system, **1** 379
Binary alloys
liquid–glass transitions of binary alloys, **1** 215
Bismuth
influence of Cu additions on the crystallizations of amorphous Fe–Bi–Si alloys, **1** 361
structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: the case of superconducting Pb–Bi–Ge, **2** 347
Boron
absence of thermal embrittlement in some Fe–B and Fe–Si and Fe–Si–B glassy alloys, **2** 491
behaviour of electrical resistivity in amorphous $Co_{100-x}B_x$ alloys, **3** 227
comparative performance of Nd–(Fe, Co)–B magnets formed by rapid quenching and by sintering, **3** 123
compositional correlations in the crystallization of Fe–transition-metal–B glasses, **1** 325
compositional dependence of magnetostriction of amorphous Co–Fe–B and Co–Ni–B alloys, **3** 109
crystallization and nucleation mechanisms in well-prepared Ni–Si–B boron glass, **1** 365
crystallization kinetics of $Co_{88-x}Fe_xB_{20}$ amorphous alloys, **1** 337
crystallization of Ni–B metallic glasses with high boron contents, **1** 343
crystallization process of $Ni_{78}Si_8B_{14}$ amorphous alloys, **1** 333
decomposition of formic acid on $Fe_{80}B_{20}$ metallic glass, **3** 547
depth profile of the crystallization of $Fe_{80}B_{20}$ metallic glass, **1** 369
diffusivity of H in amorphous $Ni_{81}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_{8.0}B_{12.8}$ alloys, **1** 437
embrittlement of Ni–Ti–B glasses during crystallization, **1** 279
fatigue crack propagation in an $Ni_{78}Si_{10}B_{12}$ metallic glass with amorphous and partially crystalline structures, **2** 501
influence of P and S additions on the mechanical, surface and thermal properties of $Fe_{78}B_{13}Si_9$ amorphous alloy, **2** 495
influence of the induced anisotropy on the magnetic after-effect in amorphous $Co_{55}Ni_{10}Fe_5Si_{11}B_{16}$ alloy, **1** 519
low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, **1** 501
magnetic hardening in melt-spun Fe–R–B alloys, **3** 137
magnetic properties of amorphous FeC–SiB alloys annealed in a rotating magnetic field, **3** 53
microstructural stability of rapidly-solidified Cu–B alloys, **2** 161
microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films, **3** 153
precipitation hardening in rapidly quenched Ti–Zr–B alloys, **2** 179
rare-earth–Fe–B permanent magnets by rapid solidification processing, **3** 11
scattering mechanisms and transport properties of Fe–transition metal–B amorphous alloys, **3** 223
segregation and structural effects of B in rapidly solidified Cu–B alloys, **3** 513
soft magnetic properties of crystalline Co–Fe–Si–B alloys prepared by sputtering, **3** 57
structure analyses of amorphous melt-spun Fe–Zr–(B,Si) alloys and mechanically alloyed Fe–Zr powders, **1** 59
study of thermal relaxation and crystallization of an $Fe_{81}B_{13.5}Si_{3.5}C_2$ amorphous ribbon, **1** 321
X-ray absorption near edge structure (XANES)—criterion for modelling the three-dimensional structure of amorphous $Fe_{80}B_{20}$, **1** 169
X-ray diffraction study of the crystallization characteristics of amorphous Co–B ribbons, **1** 329
Bubble growth
surface deformation and bubble growth in amorphous alloys due to noble gas implantations, **2** 523

Calcium
electronic structure and electron transport in Ca–Mg–Cu metallic glasses, **3** 295
Calorimetric properties
low temperature calorimetric and magnetic properties of Al–Mn and Al–Mn–Si quasicrystals, **3** 439
Carbon
behaviour of Fe–Cr–P–C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy–solution interface, **3** 529
mechanical and magnetic properties of amorphous FeCrPC ribbons and wires, **2** 539
rapidly solidified Fe–Ni–Al–C alloys: metastable phase formation, **2** 277
structural changes of amorphous $Fe_{1-x}C_x$ alloys at $x \approx 0.32$, **3** 31
structural model for commensurate and non-periodic carbides formed by crystallization of amorphous Fe–C alloys, **1** 273
structures and properties of rapidly solidified Fe–Ni–Cr–C-based alloys, **2** 285
study of thermal relaxation and crystallization of an $Fe_{81}B_{13.5}Si_{3.5}C_2$ amorphous ribbon, **1** 321
viscoplastic properties of Fe–Cr–P–C amorphous alloys, **1** 493
Carbonitride
amorphous alloy powders with dispersed carbonitride particles prepared by high pressure nitrogen atomization, **1** 153
Cast iron
laser surface melting of a pearlitic grey cast iron, **2** 305
Catalysts
amorphous alloy catalysts for electro-oxidation of methanol and its derivatives in a sulphuric acid solution, **3** 521
investigation of the microstructure of an $Fe_{91}Zr_9$ catalyst prepared from the amorphous alloy, **3** 501
Ceramics
joining mechanism of ceramics to metals using an amorphous Ti-based filler metal, **2** 407
Cerium
changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, **1** 223
Characterization
characterization and kinetics of the crystallization of Al–Ni–Si amorphous alloys, **1** 387
Chemical properties
see **3** 457–536
Chromium
behaviour of Fe–Cr–P–C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy–solution interface, **3** 529
Co–Cr thin film preparation by facing targets sputtering, **2** 53
corrosion resistance and passive layer formation in amorphous binary Cr alloys, **3** 483
development of Al–Cr–X and Al–Cr–Zr–X alloys by rapid solidification from the melt, **2** 143
diffusivity of H in amorphous $N_{18}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_8B_{12.8}$ alloys, **1** 437
electrical resistivity of Fe–Cr- and Ni–Cr-based amorphous alloys, **3** 207
electrochemistry of Cr-base binary metallic glasses, **3** 525
investigation of a rapidly solidified Al-Cr alloy using field ion microscopy–atom probe analysis and high resolution electron microscopy, **2** 197
kinetic analysis of structural relaxation in FeNiCrPb amorphous alloys by electrical resistivity measurements, **1** 537
mechanical and magnetic properties of amorphous FeCrPC ribbons and wires **2** 539
microstructural development in a rapidly solidified Al–5Mn–2.5Cr alloy, **2** 437
microstructure of rapidly quenched Ti–V–Cr–Er alloys, **2** 239
microstructure of rapidly solidified Al–Cr–Fe powder, **2** 61
new quasicrystalline and amorphous phases in rapidly quenched Al–Ge–(Cr, Mn) and Al–Si–(Cr, Mn) alloys with high metalloid concentrations, **3** 449
structures and properties of rapidly solidified Fe–Ni–Cr–C-based alloys, **2** 285
viscoplastic properties of Fe–Cr–P–C amorphous alloys, **1** 493
Cobalt
amorphization of Co–rich magnetic alloys by high energy ball milling, **1** 125
behaviour of electrical resistivity in amorphous $Co_{100-x}B_x$ alloys, **3** 227
Co–Cr thin film preparation by facing targets sputtering, **2** 53
comparative performance of Nd–(Fe,Co)–B magnets formed by rapid quenching and by sintering, **3** 123
compositional dependence of magnetostriction of amorphous Co–Fe–B and Co–Ni–B alloys, **3** 109
crystallization kinetics of $Co_{88-x}Fe_xB_{20}$ amorphous alloys, **1** 337
Hall effect in paramagnetic Co–Zr metallic glasses, **3** 187
influence of the induced anisotropy on the magnetic after-effect in amorphous $Co_{58}Ni_{10}Fe_5Si_{11}B_{16}$ alloy, **1** 519
investigation of the magnetic stability of cobalt-based as-quenched amorphous alloys, **3** 87
low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, **1** 501
magnetic properties of amorphous FeCo–SiB alloys annealed in a rotating magnetic field, **3** 53
magnetic properties of Co-rich amorphous alloys for saturable cores, **3** 95
magnetic stability of water-quenched Co-based amorphous alloy, **3** 119
magnetization of amorphous and crystalline Co–Si–B alloys, **3** 77
microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films, **3** 153
oxidation behaviour of some Co-based amorphous alloys, **3**, 533
preparation and magnetic properties of Co–Gd amorphous alloy films by the electroplating method, **3** 105
scattering mechanism of resistivity in amorphous $Fe_{90-x}Co_xZr_{10}$ alloys, **3** 215
soft magnetic properties of crystalline Co–Fe–Si–B alloys prepared by sputtering, **3** 57
solid-state reaction and electrocatalytic activity of rapidly quenched $Zr_{50}Co_{30}Ni_{20}$ alloy, **3** 469
structural investigations of rapidly quenched Nb–O–50at.%Co alloys, **2** 373
X-ray diffraction study of the crystallization characteristics of amorphous Co–B ribbons, **1** 329
Cold rolling
formation of amorphous phase by solid state reaction in elemental composities prepared by cold rolling, **1** 129
Compaction
explosive compaction of metallic glass powders, **2** 461
newly developed extrusion technique for compacting amorphous alloy powders, **2** 449
production of rapidly solidified Al–Pb–Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction, **2** 119
Composites
crystallization of amorphous metal matrix composites, **1** 259

Composites (continued)
rapidly quenched composite materials, **1** 181
role of interfaces in the application of rapidly solidified metal ribbons as reinforcements for composites, **2** 547
Compositional correlations
compositional correlations in the crystallization of Fe–transition-metal–B glasses, **1** 325
Compositional dependence
compositional dependence of magnetostriction of amorphous Co–Fe–B and Co–Ni–B alloys, **3** 109
Computer modelling
computer modelling of ribbon formation in the melt spinning of crystalline matals, **2** 71
Conductivity
enhanced strength in high conductivity Cu alloys, **2** 543
quantum corrections to the conductivity in $Mg_{70}Cu_{30-x}Au_x$, $x = 0, 1, 3, 9$, and $Mg_{70}Zn_{30-x}Au_x$, $x = 0, 3$, **3** 183
Configurational entropy
configurational entropy of two-dimensional random Penrose tilings, **3** 339
Consolidation
metastability of amorphous phases and its application to the consolidation of rapidly quenched powers, **1** 137
Consolidation and forming of rapidly solidified alloys
see **2** 381–460
Containerless solidification
containerless solidification of alloys in a drop-tube, **2** 99
Cooling
dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition, **2** 425
Cooling conditions
dependence of T_c on the cooling conditions for liquid-quenched A15 chemical compounds, **3** 195
influence of cooling characteristics on glass formation of metallic systems, **1** 203
Copper
comparison of microstructures and solidification behaviour of melt-spun Cu–Ni ribbons and bulk undercooled Cu–Ni alloys, **2** 339
consolidation of rapidly solidified Cu–Ni powders, **2** 411
crystal nucleation and glass-forming ability of Cu–Zr in a containerless state, **1** 147
crystallization of amorphous Cu–Ni–P alloys, **1** 351
determination of the free energy of equilibrium and metastable phases in the Cu–Zr system, **1** 79
effects of non-equilibrium processing in the development of copper alloys, **2** 329
effects of process parameters on melt-spun Ag–Cu, **2** 89
electrochemical behaviour of Cu–Ti glassy alloys, **3** 517
electron microscopy investigation of the transformation behaviour of Al_6Mg_4Cu quasicrystalline alloy, **3** 393
electronic structure and electron transport in Ca–Mg–Cu metallic glasses, **3** 295
enhanced strength in high conductivity Cu alloys, **2** 543
formation of powdered Hf–Ni, Hf–Cu and Hf–Ru materials by mechanical alloying methods, **1** 31
glass temperatures of variously quenched Pd–Cu–Si glasses, **1** 191
hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders, **2** 419
influence of copper additions on the crystallization of amorphous Fe–B–Si alloys, **1** 361
influence of heterogeneous nuclei on the solidification of $Pd_{77.5}Cu_6Si_{16.5}$ glassy alloy, **1** 195
local structure and stability of amorphous Cu–Fe–Zr alloys, **3** 285
low-temperature thermal and electrical resistivity in a Pd–Cu–Si metallic glass, **3** 231
magnetic behaviour in amorphous Tb_xCu_{1-x} alloys ($x = 0.18, 0.22, 0.33, 0.50$ and 0.65), **3** 161
magnetic susceptibility and ^{31}P NMR study of the electronic structure of amorphous and crystalline Ni–Cu–P alloys, **3** 301
mechanical properties of rapidly solidified copper alloys: dependence on composition and microstructure, **2** 479
microstructural stability of rapidly solidified Cu–B alloys, **2** 161
microstructure characterization and stability of rapidly solidified Ni–Au Rh–Cu alloys, **2** 309
microstructure development in undercooled Al–Al_2Cu alloys, **2** 153
neutron diffraction study of the crystallization of hydrogenated Cu–Ti amorphous alloys, **1** 391
new amorphous Cu–Nb–(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders, **1** 47
production of rapidly solidified Al–Pb–Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction, **2** 119
properties of as-quenched and hydrogenated Cu–Fe–Ti alloys, **3** 543
proton and deuteron NMR in amorphous $TiCuD_x$, **1** 427
quantum corrections to the conductivity in $Mg_{70}Cu_{30-x}Au_x$, $x = 0, 1, 3, 9$, and $Mg_{70}Zn_{30-x}Au_x$, $x = 0, 3$, **3** 183
reduced segregation in rapidly solidified Cu–Ni–Sn alloys, **2** 335
segregation and structural effects of B in rapidly solidified Cu–B alloys, **3** 513
shape memory effects in rapidly quenched Cu–12%Al and Cu–12%Al–1%Si alloys, **2** 509
structure of icosahedral Al–Mg–Cu alloy, **3** 423
X-ray photoelectron spectroscopy on amorphous Cu_xTe_{100-x} and Ni_xTe_{100-x}, **3** 277
Corrosion behavior
corrosion behavior of rapidly solidified Mg–Nd and Mg–Y alloys, **3** 507
Corrosion resistance
improved corrosion resistance of rapidly solidified Fe–Al bronzes, **3** 493
corrosion resistance and passive layer formation in amorphous binary Cr alloys, **3** 483
Cores
magnetic properties of Co-rich amorphous alloys for saturable cores, **3** 95
Crack propagation
fatigue crack propagation in an $Ni_{78}Si_{10}B_{12}$ metallic glass with amorphous and partially crystalline structures, **2** 501
Creep
negative creep and mechanochemical spinodal in amorphous metals, **2** 465
Critical field
the influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous binary metallic allloys M–Zr (M ≡ Fe, Co or Ni), **3** 309
Critical temperature
dependence of T_c on the cooling conditions for liquid-quenched Al5 chemical compounds, **3** 195
Crystal growth
modelling of crystal growth and solute redistribution during rapid solidification, **2** 359
Crystallite orientation
preferential crystallite orientation in melt spun Nd–Fe–B permanent magnet materials, **3** 131
Crystallite size
crystallite size determinations for melt-spun Fe–Nd–B permanent magnet alloys, **3** 147
Crystallization of amorphous alloys
see **1** 233–402

Crystallization
crystallization of the Al–Mn icosahedral phase, **3** 389
crystallization of icosahedral Al–Mn–Si, **3** 399
effects of surface crystallization on the magnetic properties in Fe-rich metallic glasses, **3** 101
high pressure induced crystallization of rapidly solidified Al–Fe and Al–Mn quasicrystalline alloys, **3** 413
Crystallization temperature
relation between the temperatures of incipient crystallization of the Fe–Si–B amorphous alloys and metal–metalloid bonds, **1** 395
relationship between crystallization temperatures and pre-existing nuclei in amorphous Ni–P alloys, **1** 399

d-band metals
local icosahedral packing energetics for d-band metals, **3** 349
Damping
comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses, **1** 453
Decomposition
decomposition of formic acid on $Fe_{80}B_{20}$ metallic glasses, **3** 547
evident for chemical decomposition of amorphous $Fe_{40}Ni_{40}P_{20}$—investigation by means of small-angle neutron scattering, **1** 515
Defects
irradiation-induced defects in amorphous $Fe_{40}Ni_{40}P_{20}$, **1** 173
Deformation
compressive deformation of amorphous $Pd_{40}Ni_{40}P_{20}$, **2** 487
effects of peening on resistance to plastic deformation in a metallic glass, **2** 505
EXAFS study on mechanical deformation of Pd–Si amorphous alloy, **2** 553
surface deformation and bubble growth in amorphous alloys due to noble gas implantations, **2** 523
Density of states
measurements of the phonon density of states of amorphous $Ni_{0.95}Tb_{0.05}$, **1** 231
Depth profile
depth profile of the crystallization of $Fe_{80}B_{20}$ metallic glass, **1** 369
Devitrification
local value of the Avrami exponent: a new approach to devitrification of glassy metallic ribbons, **1** 241
Differential scanning calorimetry
comparative study of the thermal stabilities and crystallization processes of amorphous $Zr_{0.67}TM_{0.33-x}M_x$ alloys with TM ≡ Co or Ni, M ≡ P or Si and $0.00 \leqslant x \leqslant 0.12$ by differential scanning calorimetry and X-ray diffraction techniques, **1** 373
comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses, **1** 453
differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr, **1** 83
measurements of structural relaxation in amorphous $Fe_{40}Ni_{40}B_{40}$ by differential scanning calorimetry, **1** 533
Diffusion couples
solid state interdiffusion reactions of Ni/Zr diffusion couples, **1** 87
Diffusion mechanisms
diffusion mechanisms in amorphous alloys, **1** 415
Diffusivity
diffusivity of hydrogen in amorphous $Ni_{81}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_{8.0}B_{12.8}$ alloys, **1** 437
Distortion
tetragonal distortion and its relaxation in rapidly quenched $L1_0$ TiAl compounds, **2** 269

Double-roller method
development of a rapid solidification process with a double-roller method, **2** 25
Fe–6.5wt.%Si ribbons prepared by the single- and double-roller techniques: a comparative study of ribbon formation and microstructural peculiarities, **2** 75
Drop-tube
containerless solidification of alloys in a drop-tube, **2** 99
Ductility
evidence for recovery of ductility in an embrittled Fe–B–Si metallic glass, **1** 457
high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni–F–Al system, **2** 515

Elastic constants
calculation of elastic constants for an amorphous metal, **2** 527
Electrical properties
see **3** 165–320
Electrical properties
preparation and electrical properties of aluminium-based ternary and quaternary quasi-crystals, **3** 435
Electrical resistivity
behaviour of electrical resistivity in amorphous $Co_{100-x}B_x$ alloys, **3** 227
electrical resistivity of Fe–Cr- and Ni–Cr-based amorphous alloys, **3** 207
intermediate temperature range electrical resistivity of some metallic glass, **3** 235
kinetic analysis of structural relaxation in FeNiCrPB amorphous alloys by electrical resistivity measurements, **1** 537
low-temperature thermal and electrical resistivity in a Pd–Cu–Si metallic glass, **3** 231
Electrocatalytic activity
solid-state reaction and electrocatalytic activity of rapidly quenched $Zr_{50}Co_{30}Ni_{20}$ alloys, **3** 469
Electrochemical properties
behaviour of Fe–Cr–P–C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy–solution interface, **3** 529
electrochemical behaviour of Cu–Ti glassy alloys, **3** 517
Electrochemistry
electrochemistry of Cr-base binary metallic glasses, **3** 525
Electron beam processing
laser and electron beam processing of electrodes consisting of amorphous Ni–valve metal–platinum group metal surface alloys on valve metal, **3** 489
Electron beam welding
structure, properties and fracture of electron beam welds in RS–PM Al–8Fe–2Mo, **2** 137
Electron diffraction
quasicrystals studied with convergent beam electron diffraction, **3** 335
Electron microscopy
electron-microscopic investigation of the transformation behaviour of Al_6Mg_4Cu quasicrystalline alloy, **3** 393
Electron transport
electronic structure and electron transport in Ca–Mg–Cu metallic glasses, **3** 295
electron transport in co-evaporated thin film and melt-spun ribbon $Al_{1-x}Mn_x$ alloys, **3** 219
electronic transport properties of glass Fe–Sc alloys, **3** 179
electron transport properties of non-magnetic metallic glasses, **3** 165
Electronic characteristics
electronic aspects of formation of metallic glasses, **1** 219
Electronic properties
electronic properties and localization effects in some hydrogen-doped 4d–3d metallic glasses, **3** 191

Electronic properties (continued)
electronic properties and resonant states in Al–Mn(–Si) alloys, **3** 353
electronic properties of glassy metallic alloys, **3** 273
Electronic structure
electronic structure and electron transport in Ca–Mg–Cu metallic glasses, **3** 295
electronic structure and local environment of non-transition elements in ternary metallic glasses, **3** 269
electronic structure of amorphous transition metal alloys, **3** 245
electronic structure of hydrogenated amorphous Ni–Zr alloys, **3** 253
electronic structure of $(Ni_{33}Zr_{67})_{1-x}X_x$ (X ≡ Ti, V, Cr, Mn, Fe, Co, Ni or Cu) ternary metallic glasses studied by low temperature specific heat measurements, **3** 289
electronic structure of $(Ni_{33}Zr_{67})_{85}X_{15}$ (X ≡ Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy, **3** 317
electronic structure of quasicrystalline AlMn in comparison with amorphous and crystalline alloys, **3** 361
electronic structure of quasicrystals, **3** 377
high resolution solid state nuclear magnetic resonance study of the electronic structure of rapidly quenched alloys, **3** 305
magnetic susceptibility and ^{31}P nuclear magnetic resonance study of the electronic structure of amorphous and crystalline Ni–Cu–P alloys, **3** 301
Electro-oxidation
amorphous alloy catalysts for electro-oxidation of methanol and its derivatives in a sulphuric acid solution, **3** 521
Electroplating
preparation and magnetic properties of Co–Gd amorphous alloy films by the electroplating method, **3** 105
Embrittlement
absence of thermal embrittlement in some Fe–B and Fe–Si and Fe–Si–B glassy alloys, **2** 491
embrittlement of Ni–Ti–B glasses during crystallization, **1** 279
evidence for recovery of ductility in an embrittled Fe–B–Si metallic glass, **1** 457
Erbium
changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, **1** 223
microstructures of rapidly quenched Ti–V–Cr–Er alloys, **2** 239
EXAFS
EXAFS study on mechanical deformation for Pd–Si amorphous alloy, **2** 553
Explosive consolidation
preparation of bulk amorphous alloys by explosive consolidation and properties of the prepared bulk, **2** 457
Extrusion
newly developed extrusion technique for compacting amorphous alloy powders, **2** 449

Fatigue
fatigue crack propagation in an $Ni_{78}Si_{10}B_{12}$ metallic glass with amorphous and partially crystalline structures, **2** 501
tensile and fatigue properties of two high-strength Al alloys prepared by rapid solidification technology, **2** 475
Ferritic steel
amorphization of a metalloid-rich ferritic steel by a continuous CO_2 laser: a microstructural investigation, **2** 291
Ferromagnets
effects of magnetostriction in amorphous ferromagnets, **3** 13
fast dissipative and diffusional relaxation of the magnetic permeability in ferromagnetic metallic glasses, **3** 27
Field ion microscopy
investigation of a rapidly solidified Al–Cr alloy using field ion microscopy–atom probe analysis and high resolution electron microscopy, **2** 197
Films
internal stress in IBS films, **2** 519
Flow behaviour
fluid flow behaviour and solidification studies during ultrasonic gas atomization, **2** 43
Flow casting
thermal stability of the icosahedral phase in Al–Mn (Mn ≡ 4–14 at.%) alloys prepared by planar flow casting, **3** 385
Formation and structure of amorphous alloys
see **1** 137–232
Formic acid
decomposition of formic acid on $Fe_{80}B_{20}$ metallic glasses, **3** 547
Forming and consolidation of rapidly solidified alloys
see **2** 381–460
Fracture
structure, properties and fracture of electron beam welds in RS–PM Al–8Fe–2Mo, **2** 137
Free energy
determination of the free energy of equilibrium and metastable phases in Cu–Zr system, **1** 79
Friction factor
magnetic energy density and friction factor in magnetic amorphous ribbons, **3** 61
Front velocity
effect of solidification front velocity on characteristics of Al-rich Al–Mn alloy solutions extended by rapid solidification, **2** 201

Gadolinium
magnetic properties of amorphous Gd_4Fe_3 and Y_4Fe_3 alloys, **3** 113
preparation and magnetic properties of Co–Gd amorphous alloy films by the electroplating method, **3** 105
Gas atomization
technique for evaluating Al alloys for high pressure gas atomization, **2** 115
Gas implantations
surface deformation and bubble growth in amorphous alloys due to noble gas implantations, **2** 523
Germanium
new quasicrystalline and amorphous phases in rapidly quenched Al–Ge–(Cr, Mn) at Al–Si–(Cr, Mn) alloys with high metalloid concentrations, **3**, 449
structural relaxation in Pd–Ge metallic glass, **1** 523
structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: case of superconducting Pb–Bi–Ge, **2** 347
Glass
absence of thermal embrittlement in some Fe–B and Fe–Si and Fe–Si–B glassy alloys, **2** 491
electronic transport properties of glassy Fe–Sc alloys, **3** 179
embrittlement of Ni–Ti–B glasses during crystallization, **1** 279
glass-forming conditions during laser surface melting, **1** 177
glass temperatures of variously quenched Pd–Cu–Si glasses, **1** 191
influence of heterogeneous nuclei on the solidification of $Pd_{77.5}Cu_6Si_{16.5}$ glassy alloy, **1** 195
ion milling of liquid-quenched glasses, **2** 429
magnetic and thermal properties of $(Nd_xFe_{1-x})_{82.5}B_{17.5}$ glasses, **3** 157
solid–liquid interfacial energy of Pd–16.5at.%Si glasses, **1** 199

Glass formation
influence of cooling characteristics on glass formation of metallic systems, **1** 203
Glass-forming alloys
comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses, **1** 453
crystal nucleation and glass-forming ability of Cu–Zr in a containerless state, **1** 147
crystal nucleation in glass-forming alloys, **1** 285
Glass transition
crystal-to-glass transformation in metallic materials, **1** 1
glass transition, crystallization and melting Au–Pb–Sb alloys, **1** 301
liquid–glass transitions of binary alloys, **1** 215
measurement and interpretation of glass transition temperature T_g in a number of metallic systems, **1** 291
Gold
glass transition, crystallization and melting in Au–Pb–Sb alloys, **1** 301
microstructure characterization and stability of rapidly solidified Ni–Au and Rh–Cu alloys, **2** 309
quantum corrections to the conductivity in $Mg_{70}Cu_{30-x}Au_x$, $x = 0, 1, 3, 9$, and $Mg_{70}Zn_{30-x}Au_x$, $x = 0, 3$, **3** 183
Grinding
grinding peculiarities of rapidly quenched powders, **2** 453
Growth
growth of quasicrystals, **3** 443

Hafnium
formation of powdered Hf–Ni, Hf–Cu and Hf–Ru materials by mechanical alloying methods, **1** 31
Hall effect
Hall effect in paramagnetic Co–Zr metallic glasses, **3** 187
Heating conditions
difference in crystallization of Fe–Ni-based metallic glasses caused by changes in heating conditions, **1** 347
High resolution electron microscopy
an investigation of a rapidly solidified Al–Cr alloy using field ion microscopy–atom probe analysis and high resolution electron microscopy, **2** 197
High speed steels
modifications to high speed steels by rapid solidification, **2** 433
Hot extrusion
hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders, **2** 419
microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder, **2** 531
Hydrides
large-angle neutron scattering studies of amorphous Fe_xTi_{1-x} alloys and hydrides, **1** 157
Hydrogen
amorphization of RFe_2 Laves phases by H absorption, **1** 35
diffusivity of H in amorphous $Ni_{81}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_{8.0}B_{12.8}$ alloys, **1** 437
electronic properties and localization effects in some H-doped 4d–3d metallic glasses, **3** 191
electronic structure of hydrogenated amorphous Ni–Zr alloys, **3** 253
host and H diffusion in an Ni–Zr metallic glass, **1** 419
H in amorphous and nanocrystalline metals, **3** 457
H in some Pd–Si-based amorphous alloys and in the crystallized states, **3** 539
influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $Nd_{15}Fe_{77}B_8$, **3** 143
neutron diffraction study of the crystallization of hydrogenated Cu–Ti amorphous alloys, **1** 391
nuclear magnetic resonance studies of diffusion of H in amorphous alloys of the type Ni–Zr–P, **1** 431
properties of as-quenched and hydrogenated Cu–Fe–Ti alloys, **3** 543
simulation of the influence of hydrogen on the structural properties of amorphous iron, **3** 551
thermodynamics of H in amorphous alloys: lattice-gas model, **3** 463
Hydrostatic pressure
influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous binary metallic alloys M–Zr (M ≡ Fe, Co or Ni), **3** 309

Icosahedral phase
crystallization of icosahedral Al–Mn–Si, **3** 399
crystallization of the Al–Mn icosahedral phase, **3** 389
pair distribution function in icosahedral Al–Mn–Si alloy, **3** 427
physical properties of icosahedral and glassy Pd–U–Si alloys, **3** 357
influence of the quenching conditions on the formation of the icosahedral phase in Al–Mn alloys, **3** 453
structure of icosahedral Al–Mg–Cu alloy, **3** 423
thermal stability of the icosahedral phase in Al–Mn (Mn ≡ 4–15 at.%) alloys prepared by planar flow casting, **3** 385
Interfaces
role of interfaces in the application of rapidly solidified metal ribbons as reinforcements of composites, **2** 547
Interdiffusion
interdiffusion in amorphous metallic artificial multilayers, **1** 403
Interdiffusion reactions
solid state interdiffusion reactions of Ni/Zr diffusion couples, **1** 87
Interfacial energy
solid–liquid interfacial energy of Pd–16.5at.%Si glasses, **1** 199
Intermetallics
influence of Nb addition on structure and properties of rapidly solidified intermetallics, **2** 257
Internal friction
low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, **1** 501
Internal stress
internal stress in IBS films, **2** 519
Ion beam sputtering
synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering, **3** 23
Ion milling
dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition, **2** 425
ion milling of liquid-quenched glasses, **2** 429
IR measurements
IR measurements of the melt puddle in planar flow casting, **2** 29
IR properties
preparation and IR properties of crystalline and amorphous tungsten and WSi_2 films, **2** 79
IR thermography
an infrared thermography study of the temperature variation of an amorphous ribbon during production by planar flow casting, **2** 95
Iron
amorphization of RFe_2 Laves phases by H absorption, **1** 35
behaviour of Fe–Cr–P–C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy–solution interface, **3** 529
changes in short-range order resulting from H absorption of Fe_2Ce and Fe_2Er metallic glasses, **1** 223
characteristics of Ni_3Al + Fe powders produced by spark erosion quenching, **2** 33

Iron (continued)
comparative performance of Nd–(Fe,Co)–B magnets formed by rapid quenching and by sintering, **3** 123
compositional correlations in the crystallization of Fe–transition-metal–B glasses, **1** 325
compositional dependence of magnetostriction of amorphous Co–Fe–B and Co–Ni–B alloys, **3** 109
crystallization behavior of amorphous Fe–Mo alloys, **1** 265
crystallization kinetics of $Co_{88-x}Fe_xB_{20}$ amorphous alloys, **1** 337
crystallization of some Fe-based metallic glasses, **1** 355
decomposition of formic acid on $Fe_{80}B_{20}$ metallic glass, **3** 547
depth profile of the crystallization of $Fe_{80}B_{20}$ metallic glass, **1** 369
difference in crystallization of Fe–Ni-based metallic glasses caused by changes in heating conditions, **1** 347
diffusivity of H in amorphous $Ni_{81}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_{8.0}B_{12.8}$ alloys, **1** 437
effect of rapid solidification on the order–disorder transformation in Fe-based alloys, **2** 281
effects of surface crystallization on the magnetic properties in Fe-rich metallic glasses, **3** 101
electronic transport properties of glassy Fe–Sc alloys, **3** 179
electrical resistivity of Fe–Cr and Ni–Cr-based amorphous alloys, **3** 207
Fe–6.5wt.%Si ribbons prepared by the single- and double-roller techniques: comparative study of ribbon formation, **2** 75
formation and properties of mechanically alloyed amorphous Fe–Zr, **1** 39
high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni–Fe–Al system, **2** 515
high pressure induced crystallization of rapidly solidified Al–Fe and Al–Mn quasicrystalline alloys, **3** 413
improved corrosion resistance of rapidly solidified Fe–Al bronzes, **3** 493
influence of the induced anisotropy on the magnetic after-effect in amorphous $Co_{58}Ni_{10}Fe_5Si_{11}B_{16}$ alloy, **1** 519
influence of P and S additions on the mechanical surface and thermal properties of $Fe_{78}B_{13}Si_9$, **2** 495
investigation of the microstructure of an $Fe_{91}Zr_9$ catalyst prepared from the amorphous alloy, **3** 501
kinetic analysis of structural relaxation in FeNiCrPb amorphous alloys by electrical resistivity measurements, **1** 537
large-angle neutron scattering studies of amorphous Fe_xTi_{1-x} alloys and hydrides, **1** 157
local evidence for re-entrant magnetic behaviour in amorphous $Fe_{90}Zr_{10}$ alloys, **3** 65
local structure and stability of amorphous Cu–Fe–Zr alloys, **3** 285
magnetic hardening in melt-spun Fe–R–B alloys, **3** 137
magnetic ordering behaviour of rare-earth-substituted Fe–Zr amorphous alloys, **3** 69
magnetic properties of amorphous FeCo–SiB alloys annealed in a rotating magnetic field, **3** 53
magnetic properties of amorphous Gd_4Fe_3 and Y_4Fe_3 alloys, **3** 113
mechanical and magnetic properties of amorphous FeCrPc ribbons and wires, **2** 539
microstructural stability of rapidly quenched Al–Fe alloys: influence of Zr, **2** 191
microstructure and soft magnetic properties of rapidly solidified Fe–Al alloys, **3** 91
microstructure of rapidly solidified Al–Cr–Fe powder, **2** 61
microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films, **3** 153
microstructures of rapidly solidified and heat-treated Al–8Fe–2Mo–Si alloys, **2** 131
neutron and X-ray small-angle scattering with Fe–based metallic glasses, **1** 227
phase separation in amorphous Zr–Fe alloys determined by anomalous X-ray scattering and magnetization measurements, **1** 163
production and properties of melt-spun Fe–6.5wt.%Si ribbons, **3** 73
properties of as-quenched and hydrogenated Cu–Fe–Ti alloys, **3** 543
rapidly solidified Fe–Ni–Al–C alloys: metastable phase formation, **2** 277
rare-earth–Fe–B permanent magnets by rapid solidification processing, **3** 11
scattering mechanisms and transport properties of Fe–transition metal–B amorphous alloys, **3** 223
scattering mechanism of resistivity in amorphous $Fe_{90-x}Co_xZr_{10}$ alloys, **3** 215
soft magnetic properties of crystalline Co–Fe–Si–B alloys prepared by sputtering, **3** 57
solidification of an "amorphous" phase in rapidly solidified Al–Fe–Si alloys, **2** 213
solidification structures of planar flow cast Fe–(20–47)at.%Al ribbons, **2** 295
stability of quasicrystalline phases in Al–Fe–V alloys, **3** 407
structural changes of amorphous $Fe_{1-x}C_x$ alloys at $x \approx 0.32$, **3** 31
structural model for commensurate and non-periodic carbides formed by crystallization of amorphous Fe–C alloys, **1** 273
structure analyses of amorphous melt-spun Fe–Zr–(B,Si) alloys and mechanically alloyed Fe–Zr powders, **1** 59
structure, properties and fracture of electron beam welds in RS–PM Al–8Fe–Mo–Si alloys, **2** 137
structures and properties of rapidly solidified Fe–Ni–Cr–C-based alloys, **2** 285
study of thermal relaxition and crystallization of an $Fe_{81}B_{13.5}Si_{3.5}C_2$ amorphous ribbon, **1** 321
syntheses and magnetic properties of Fe nitride thin films by double ion beam sputtering, **3** 23
viscoplastic properties of Fe–Cr–P–C amorphous alloys, **1** 493
warm consolidation of spray quenched amorphous Ni–Fe-based alloy powders, **2** 399
X-ray absorption near edge structure (XANES)—criterion for modelling the three-dimensional structure of amorphous $Fe_{80}B_{20}$, **1** 169
Fe–Si–B
evidence for recovery of ductility in an embrittled Fe–B–Si metallic glass, **1** 457
influence of Cu additions on the crystallization of amorphous Fe–B–Si alloys, **1** 361
influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe–B–Si alloys, **3** 39
magnetic phase transition in amorphous Fe–Ni–B and Fe–B–Si alloys, **3** 43
Mössbauer studies of amorphous FeB and FeBSi alloys, **3** 47
specific heat behaviour on soft magnetic thick amorphous ribbons of an Fe–B–Si alloy, **3** 35
viscous flow in amorphous $Fe_{78}B_{13}Si_9$ alloy, **1** 479
Fe–Cr–Si–B
temperature dependence of longitudinal magnetoresistance in amorphous Fe–Cr–Si–B alloys, **3** 211
Fe–Ni–B
magnetic phase transition in amorphous Fe–Ni–B and Fe–B–Si alloys, **3** 43
measurement of structural relaxation in amorphous $Fe_{40}Ni_{40}B_{20}$ by DSC, **1** 533
new concept of effective termperature to correlate isothermal and anisothermal continuous temperature–time–transformation curves—application to crystallization of Fe–Ni–B amorphous alloys, **1** 297

resistivity changes during structural relaxation of amorphous $Fe_{40}Ni_{40}B_{20}$, **1** 505
Fe–Ni–P
evidence for chemical decomposition of amorphous $Fe_{40}Ni_{40}P_{20}$—investigation by means of small-angle neutron scattering, **1** 515
irradiation-induced defects in amorphous $Fe_{40}Ni_{40}P_{20}$, **1** 173
Irradiation
ion irradiation during a solid state amorphization reaction, **1** 97
structural relaxation of e^--irradiated amorphous alloys by tunnelling and thermally activated processes, **1** 473

Kinetic analysis
kinetic analysis of structural relaxation in FeNiCrPB amorphous alloys by electrical resistivity measurements, **1** 537

Laser cutting
stress-assisted laser cutting of amorphous alloys, **2** 403
Laser processing
laser and electron beam processing of electrodes consisting of amorphous Ni–valve metal–platinum group metal surface alloys on valve metal, **3** 489
Laser quenching
formation of metastable Nb–Si phases by picosecond and nanosecond pulsed laser quenching, **2** 325
metastable phases formed by nanosecond laser quenching of metals and binary alloys, **2** 105
Lattice-gas model
thermodynamics of H in amorphous alloys: lattice-gas model, **3** 463
Laves phases
amorphization of RFe_2 Laves phases by hydrogen absorption, **1** 35
Lead
glass transition, crystallization and melting in Au–Pb–Sb alloys, **1** 301
kinetic analysis of structural relaxation in FeNiCrPb amorphous alloys by electrical resistivity measurements, **1** 537
production of rapidly quenched Al–Pb–Cu alloy liquid stirring ultrasonic gas atomization and liquid dynamic compaction, **2** 119
structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: case of superconducting Pb–Bi–Ge, **2** 347
Liquid alloys
comparison of amorphous and liquid alloys by photoelectron spectroscopy, **3** 257
Liquid–glass transition
effects of the softness of the interionic pair potential on the liquid–glass transition, **1** 187
Liquid phase separation
the effect of liquid phase separation on the microstructure of rapidly solidified Ti–rare earth alloys, **2** 243
Liquid-quenching
dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition, **2** 425
dependence of T_c on the cooling conditions for liquid-quenched A15 chemical compounds, **3** 195
ion milling of liquid-quenched glasses, **2** 429
Localization effects
electronic properties and localization effects in some H-doped 4d–3d metallic glasses, **3** 191
Long-range ordering
long-range ordering in rapidly quenched Ti–Al compounds, **2** 169

Magnesium
corrosion behavior of rapidly solidified Mg–Nd and Mg–Y alloys, **3** 507
electron microscopy investigation of the transformation behaviour of Al_6Mg_4Cu quasicrystalline alloy, **3**, 393
electronic structure and electron transport in Ca–Mg–Cu metallic glasses, **3** 295
quantum corrections to the conductivity in $Mg_{70}Ci_{30-x}Au_x$, $x = 0, 1, 3, 9$, and $Mg_{70}Zn_{30-x}Au_x$, $x = 0, 3$, **3** 183
structure and properties of rapidly solidified Mg–Si alloys, **2** 313
structure of icosahedral Al–Mg–Cu alloy, **3** 423
Magnetic after-effect
influence of the induced anisotropy on the magnetic after-effect in amorphous $Co_{.58}Ni_{10}Fe_5Si_{11}B_{16}$ alloy, **1** 519
new method for measuring magnetic after-effect, **1** 529
Magnetic alloys
amorphization of Co-rich magnetic alloys by high energy ball milling, **1** 125
relaxation parameters to simulate the changes in magnetostriction in amorphous magnetic alloys, **1** 497
Magnetic anisotropy
magnetic anisotropy and process parameters in a nearly zero-magnetostriction metallic glass $Fe_{4.5}Co_{66}Ni_{3.5}Nb_2Cr_1B_{14}Si_{19}$, **3** 81
Magnetic behaviour
local evidence for re-entrant magnetic behaviour in amorphous $Fe_{90}Zr_{10}$ alloys, **3** 65
magnetic behaviour in amorphous Tb_xCu_{1-x} alloys ($x = 0.18, 0.22, 0.33, 0.50$ and 0.65), **3** 161
Magnetic domains
structure of magnetic domains surrounding metallic glass shear bands, **2** 483
Magnetic energy density
magnetic energy density and friction factor in magnetic amorphous ribbons, **3** 61
Magnetic hardening
magnetic hardening in melt-spun Fe–R–B alloys, **3** 137
Magnetic materials
impact of amorphous metals on the field of soft magnetic materials, **3** 1
magnetic energy density and friction factor in magnetic amorphous ribbons, **3** 61
specific heat behaviour on soft magnetic materials thick amorphous ribbons of an Fe–B–Si alloy, **3** 35
Magnetic ordering
magnetic ordering behavor of rare-earth-substituted Fe–Zr amorphous alloys, **3** 69
Magnetic phase transition
magnetic phase transition in amorphous Fe–Ni–B and Fe–B–Si alloys, **3** 43
Magnetic properties
effects of surface crystallization on the magnetic properties in Fe-rich metallic glasses, **3** 101
hard magnetic properties of Nd–Fe–B formed by mechanical alloying and solid state reaction, **3** 127
influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe–B–Si alloys, **3** 39
low temperature calorimetric and magnetic properties of Al–Mn and Al–Mn–Si quasicrystals, **3** 439
magnetic properties of amorphous FeCo–SiB alloys annealed in a rotating magnetic field, **3** 53
magnetic properties of Co-rich amorphous alloys for saturable cores, **3** 95
mechanical and magnetic properties of amorphous FeCrPc ribbons and wires, **2** 539
microstructure and soft magnetic properties of rapidly solidified Fe–Al alloys, **3** 91
soft magnetic properties of microcrystalline Co–Fe–Si–B alloys prepared by sputtering, **3** 57

Magnetic properties (continued)
synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering, **3** 23
Magnetic stability
investigation of the magnetic stability of cobalt-based as-quenched amorphous alloys, **3** 87
magnetic stability of water-quenched Co-based amorphous alloy, **3** 119
Magnetic susceptibility
magnetic susceptibility and ^{31}P nuclear magnetic resonance study of the electronic structure of amorphous and crystalline Ni–Cu–P alloys, **3** 301
Magnetism
see **3** 1–160
Magnetization
magnetization of amorphous and crystalline Co–Si–B alloys, **3** 77
phase separation in amorphous Zr–Fe alloys determined by anomalous X-ray scattering and magnetization measurements, **1** 163
Magnetostriction
compositional dependence of magnetostriction of amorphous Co–Fe–B and Co–Ni–B alloys, **3** 109
effects of magnetostriction in amorphous ferromagnets, **3** 13
magnetic anisotropy and process parameters in a nearly zero-magnetostriction metallic glass $Fe_{4.5}Co_{66}Ni_{3.5}Nb_2Cr_1B_{14}Si_{19}$, **3** 81
relaxation parameters to simulate the changes in magnetostriction in amorphous magnetic alloys, **1** 497
temperature dependence of longitudinal magnetoresistance in amorphous Fe–Cr–Si–B alloys, **3** 211
Magnets
comparative performance of Nd–(Fe, Co)–B magnets formed by rapid quenching and by sintering, **3** 123
rare-earth–Fe–B permanent magnets by rapid solidification processing, **3** 11
Manganese
effect of solidification front velocity on the characteristics of Al-rich Al–Mn alloy solutions extended by rapid solidification, **2** 201
microstructural development in a rapidly solidified Al–5Mn–2.5Cr alloy, **2** 437
new quasicrystalline and amorphous phases in rapidly quenched Al–Ge–(Cr, Mn) and Al–Si–(Cr, Mn) alloys with high metalloid concentrations, **3** 449
Many-electron effects
many-electron effects and multiplet splittings in X-ray photoelectron spectroscopy as a diagnostic tool for metallic glasses, **3** 261
Mechanical alloying
comparison between the thermal properties of Ni–Zr amorphous alloys obtained by mechanical alloying and melt-spinning, **1** 317
formation and properties of mechanically alloyed amorphous Fe–Zr, **1** 39
formation of amorphous metals by mechanical alloying, **1** 15
formation of amorphous Ni–Zr powders by mechanical alloying, **1** 25
formation of powdered Hf–Ni, Hf–Cu and Hf–Ru materials by mechanical alloying methods, **1** 31
hard magnetic properties of Nd–Fe–B formed by mechanical alloying and solid state reaction, **3** 127
mechanically alloyed amorphous metallic powders with second phase particles, **1** 53
new amorphous Cu–Nb–(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders, **1** 47
structure analyses of amorphous melt-spun Fe–Zr–(B, Si) alloys and mechanically alloyed Fe–Zr powders, **1** 59
study of the formation of the amorphous phase in metallic systems by mechanical alloying, **1** 115
thermal properties of mechanically alloyed $Ni_{50}Ti_{50}$ powders, **1** 121
Mechanical alloying
X-ray diffraction study of the amorphization process in mechanical alloying of the Ni–Ti system, **1** 43
Mechanical properties
see **2** 465–556
hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders, **2** 419
microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder, **2** 531
Mechanochemical spinodal
negative creep and mechanochemical spinodal in amorphous metals, **2** 465
Melting
glass transition, crystallization and melting in Au–Pb–Sb alloys, **1** 301
Melt spinning
comparison between the thermal properties of Ni–Zr amorphous alloys obtained by mechanical alloying and melt-spinning, **1** 317
comparison of microstructures and solidification behaviour of melt-spun Cu–Ni ribbons and bulk undercooled Cu–Ni alloys, **2** 339
computer modelling of ribbon formation in the melt spinning of crystalline metals, **2** 71
crystallite size determinations for melt-spun Fe–Nd–B permanent magnet alloys, **3** 147
electron transport in co-evaporated thin film and melt-spun ribbon $Al_{1-x}Mn_x$ alloys, **3** 219
influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $Nd_{15}Fe_{77}B_8$, **3** 143
magnetic hardening in melt-spun Fe–R–B alloys, **3** 137
preferential crystallite orientation in melt spun Nd–Fe–B permanent magnet materials, **3** 131
production and properties of melt-spun Fe–6.5wt.%Si ribbons, **3** 73
structure analyses of amorphous melt-spun Fe–Zr–(B, Si) alloys and mechanically alloyed Fe–Zr powders, **1** 59
Metallic glasses
changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, **1** 223
comparison of damping measurement and differential scanning calorimetry as methods of determining the glass transition temperature in metallic glasses, **1** 453
crystallization of Ni–B metallic glasses with high boron contents, **1** 343
crystallization of some Fe-based metallic glasses, **1** 355
decomposition of formic acid on $Fe_{80}B_{20}$ metallic glasses, **3** 547
depth profie of the crystallization of $Fe_{80}B_{20}$ metallic glass, **1** 369
difference in crystallization of Fe–Ni-based metallic glasses caused by changes in heating conditions, **1** 347
effect of picosecond laser treatment on the stability, kinetics and the mode of cystallization of metallic glassy ribbons, **1** 253
effects of peening on resistance to plastic deformation in a metallic glass, **2** 505
effects of surface crystallization on the magnetic properties in Fe-rich metallic glasses, **3** 101
electrochemistry of Cr-base binary metallic glasses, **3** 525
electronic aspects of formation of metallic glasses, **1** 219
electronic properties and localization effects in some hydrogen-doped 4d–3d metallic glasses, **3** 191
electronic properties of glassy metallic alloys, **3** 273
electronic structure and electron transport in Ca–Mg–Cu metallic glasses, **3** 295

electronic structure and local environment of non-transition elements in ternary metallic glasses, **3** 269
electronic structure of $(Ni_{33}Zr_{67})_{85}X_{15}$ (X ≡ Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy, **3** 317
electronic structure of $(Ni_{33}Zr_{67})_{1-x}X_x$ (X ≡ T, V, Cr, Fe, Co, Ni or Cu) ternary metallic glasses studied by low temperature specific heat measurements, **3** 289
electron transport properties of non-magnetic metallic glasses, **3** 165
evidence for recovery of ductility in an embrittled Fe–B–Si metallic glass, **1** 457
explosive compaction of metallic glass powders, **2** 461
fatigue crack propagation in an $Ni_{78}Si_{10}B_{12}$ metallic glass with amorphous and partially crystalline structures, **2** 501
Hall effect in paramagnetic Co–Zr metallic glasses, **3** 187
host and hydrogen diffusion in an Ni–Zr metallic glass, **1** 419
influence of quenching rate on the relaxation processes in a nearly non-magnetostrictive metallic glass, **1** 509
intermediate temperature range electrical resistivity of some metallic glasses, **3** 235
local value of the avrami exponent: a new approach to devitrification of glassy metallic ribbons, **1** 241
low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, **1** 501
low-temperature thermal and electrical resistivity in a Pd–Cu–Si metallic glass, **3** 231
magnetic anisotropy and process parameters in a nearly zero-magnetostriction metallic glass $Fe_{4.5}Co_{66}Ni_{3.5}Nb_2Cr_1B_{14}Si_{19}$, **3** 81
neutron and X-ray small-angle scattering with Fe-based metallic glasses, **1** 227
photoelectron spectroscopy of metallic glasses: bulk, interface and surface properties, **3** 239
photoemission studies on metallic glasses using synchroton radiation, **3** 265
reversible structural relaxation in metallic glasses, **1** 461
structure of magnetic domains surrounding metallic glass shear bands, **2** 483
surface crystallization of metallic glasses, **1** 233
topological ordering in model metallic glasses, **1** 441
transient nucleation in Zr-based metallic glasses, **1** 313
viscous flow behaviour of the metallic glass $Ni_{30}Zr_{70}$ under continuous heating, **1** 487
Metalloids
alloying effects on the processing and properties of melt spun Ni–metalloid ribbons, **1** 207
amorphization of a metalloid-rich ferritic steel by a continuous CO_2 laser: a microstructural investigation, **2** 291
preparation of refractory transition metal-metalloid amorphous alloys and their thermal stability, **1** 269
Metal–metalloid bonds
relation between the temperatures of incipient crystallization of the Fe–Si–B amorphous alloys and metal-metalloid bonds, **1** 395
Metals
joining mechanism of ceramics to metals using an amorphous Ti-based filler metal, **2** 407
spray deposition of metals: A review, **2** 381
Metastability
metastability of amorphous phases and its application to the consolidation of rapidly quenched powders, **1** 137
Metastable phases
formation of metastable Nb–Si phases by picosecond and nanosecond pulsed laser quenching, **2** 325
metastable phases formed by nanosecond laser quenching of metals and binary alloys, **2** 105
rapidly solidified Fe–Ni–Al–C alloys: metastable phase formation, **2** 277
Metastable structures
formation of metastable structures and amorphous phases in Pu-based systems using the triode sputtering technique, **2** 57
Microstructural stability
microstructural stability of rapidly quenched Al–Fe alloys: influence of Zr, **2** 191
Microstructure
Fe–6.5wt.%Si ribbons prepared by the single- and double-roller techniques: comparative study of ribbon formation and microstructural peculiarities, **2** 75
investigation of the microstructure of an $Fe_{91}Zr_9$ catalyst prepared from the amorphous alloy, **3** 501
microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder, **2** 531
microstructure and soft magnetic properties of rapidly solidified Fe–Al alloys, **3** 91
microstructure of rapidly solidified Al–Cr–Fe powder, **2** 61
microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films, **3** 153
Microstructure of rapidly solidified alloys
see **2** 122–378
Milling
amorphous transition metal–Zr alloys prepared by milling, **1** 133
Modelling
modelling of crystal growth and solute redistribution during rapid solidification, **2** 359
Molybdenum
age hardening response in rapidly quenched Mo alloys, **2** 363
annealing behaviour of rapid solidification processed Al–Mo alloys, **2** 185
crystallization behavior of amorphous Fe–Mo alloys, **1** 265
microstructure of rapidly solidified and heat-treated Al–8Fe–2Mo–Si alloys, **2** 131
structure properties and fracture of electron beam welds in RS–PM Al–8Fe–Mo–Si alloys, **2** 131
Mössbauer studies
Mössbauer studies of amorphous FeB and FeBSi alloys, **3** 47
Multilayers
interdiffusion in amorphous metallic artificial multilayers, **1** 403
solid state amorphization in Ni/Ti multilayers, **1** 101
solid state reaction in multilayers studied by X-ray absorption spectroscopy, **1** 109
Multiplet splittings
many-electron effects and multiplet splittings in X-ray photoelectron spectroscopy as a diagnostic tool for metallic glasses, **3** 261

Nanocrystalline metals
H in amorphous and nanocrystalline metals, **3** 457
Neodymium
comparative performance of Nd–(Fe, Co)–B magnets formed by rapid quenching and by sintering, **3** 123
corrosion behaviour of rapidly solidified Mg–Nd and Mg–Y alloys, **3** 507
microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films, **3** 153
Nd–Fe–B
crystallite size determinations for melt-spun Fe–Nd–B permanent magnet alloys, **3** 147
hard magnetic properties of Nd–Fe–B formed by mechanical alloying and solid state reaction, **3** 127
influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $Nd_{15}Fe_{77}B_8$, **3** 143

Nd–Fe–B (continued)
magnetic and thermal properties of $(Nd_xFe_{1-x})_{82.5}B_{17.5}$ glasses, **3** 157
preferential crystallite orientation in melt spun Nd–Fe–B permanent magnet materials, **3** 131
Neutron diffraction
neutron diffraction study of the crystallization of hydrogenated Cu–Ti amorphous alloys, **1** 391
evidence for chemical decomposition of amorphous $Fe_{40}Ni_{40}P_{20}$—investigation by means of small-angle neutron scattering, **1** 515
large-angle neutron scattering studies of amorphous Fe_xTi_{1-x} alloys and hydrides, **1** 157
neutron and X-ray small-angle scattering with Fe-based metallic glasses, **1** 227
Neutron studies
structure of quasicrystalline Al–Mn–Ru: X-ray and neutron studies, **3** 345
Nickel
alloying effects on the processing and properties of melt spun Ni–metalloid ribbons, **1** 207
anelastic relaxation in amorphous $Pd_{39.5}Ni_{39.5}P_{21}$, **1** 541
characteristics of Ni_3Al + Fe powders produced by spark erosion quenching, **2** 33
characterization and kinetics of the crystallization of Al–Ni–Si amorphous alloys, **1** 387
comparison between the thermal properties of Ni–Zr amorphous alloys obtained by mechnical alloying and melt spinning, **1** 317
comparison of microstructures and solidification behaviour of melt-spun Cu–Ni ribbons and bulk undercooled Cu–Ni alloys, **2** 339
compressive deformation of amorphous $Pd_{40}Ni_{40}P_{20}$, **2** 487
consolidation of rapidly solidified Cu–Ni powders, **2** 411
crystallization and nucleation mechanisms in well-prepared Ni–Si–B glass, **1** 365
crystallization of amorphous Cu–Ni–P alloys, **1** 351
crystallization of amorphous $NiZr_2$, **1** 307
crystallization of Ni–B metallic glasses with high boron contents, **1** 343
crystallization process of $Ni_{78}Si_8B_{14}$ amorphous alloys, **1** 333
differences in crystallization of Fe–Ni-based metallic glasses caused by changes in heating conditions, **1** 347
differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr, **1** 83
diffusivity of H in amorphous $Ni_{81}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_{8.0}B_{12.8}$ alloys, **1** 437
effects of ultrahigh pressure on the crystallization temperature of $Ni_{80}P_{20}$ amorphous alloys, **1** 247
electrical resistivity of Fe–Cr- and Ni–Cr-based amorphous alloys, **3** 207
electronic structure of hydrogenated amorphous Ni–Zr alloys, **3** 253
electronic structure of $(Ni_{33}Zr_{67})_{85}X_{15}$ (X ≡ Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy, **3** 317
electronic structure of $(Ni_{33}Zr_{67})_{1-x}X_x$ (X ≡ Ti, V, Cr, Mn, Fe, Co, Ni, or Cu) ternary metallic glasses studied by low temperature metallic glasses studied by low temperature specific heat measurements, **3** 289
embrittlement of Ni–Ti–B glasses during crystallization, **1** 279
evaluation of Al and Ni alloy materials produced by spray deposition, **2** 227
fatigue crack propagation in an $Ni_{78}Si_{10}B_{12}$ metallic glass with amorphous and partially crystalline structures, **2** 501
formation of amorphous Ni–Zr powders by mechanical alloying, **1** 25
formation of powdered Hf–Ni, Hf–Cu and Hf–Ru materials by mechanical alloying methods, **1** 31
high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni–Fe–Al system, **2** 515
host and H diffusion in Ni–Zr metallic glass, **1** 419
influence of the induced anisotropy on the magnetic after-effect in amorphous $Co_{58}Ni_{10}Fe_5Si_{11}B_{16}$ alloy, **1** 519
kinetic analysis of structural relaxation in FeNiCrPb amorphous alloys by electrical resistivity measurements, **1** 537
laser and electron beam processing of electrodes consisting of amorphous Ni–value metal–platinum groups metal surface alloys on value metal, **3** 489
low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, **1** 501
magnetic susceptibility and ^{31}P NMR study of the electronic structure of amorphous and crystalline Ni–Cu–P alloys, **3** 301
measurements of the phonon density of states of amorphous $Ni_{0.95}Tb_{0.05}$, **1** 231
microstructure characterization and stability of rapidly solidified Ni–Au and Rh–Cu alloys, **2** 309
NMR studies of diffusion of H in amorphous alloys of the type Ni–Zr–P, **1** 431
nucleation in bulk undercooled nickel-base alloys, **2** 85
oxidation behaviour of amorphous and polycrystalline Zr–Ni alloys, **3** 497
properties of equiatomic TiNi alloy produced by rapid solidification, **2** 433
rapid solidification and ordering of B2 and $L2_1$ phases in the NiAl–NiTi system, **2** 273
rapidly solidified Fe–Ni–Al–C alloys: metastable phase formation, **2** 277
reduced segregation in rapidly solidified Cu–Ni–Sn alloys, **2** 335
relationship between crystallization temperature and pre-existing nuclei in amorphous Ni–P alloys, **1** 399
solid state amorphization in Ni/Ti multilayers, **1** 101
solid state interdiffusion reactions on Ni/Zr diffusion couples, **1** 87
solid state reaction and electrocatalytic activity of rapidly quenched $Zr_{50}Co_{30}Ni_{20}$ alloy, **3** 469
spectroscopic ellipsometry of amorphous $Ni_{0.95}Tb_{0.05}$ and crystalline Ni, **3** 281
structures and properties of rapidly solidified Fe–Ni–Cr–C-based alloys, **2** 285
thermal properties of mechanically alloyed $Ni_{50}Ti_{50}$ powders, **1** 121
viscosity and structural relaxation in $Pd_{40}Ni_{40}P_{19}Si_1$, **1** 449
viscous flow behaviour of the metallic glass $Ni_{30}Zr_{70}$ under continuous heating, **1** 487
warm consolidation of spray-quenched amorphous Ni–Fe-based alloy powders **2** 399
X-ray diffraction study of the amorphization process in mechanical alloying of the Ni–Ti system, **1** 43
X-ray photoelectron spectroscopy on amorphous Cu_xTe_{100-x} and Ni_xTe_{100-x}, **3** 277
Niobium
close-packed phase with a seven-layer repeat unit prepared by rapid solidification: m-$Nb(Rh_{0.60}Pd_{0.40})_3$, **2** 157
formation of metastable Nb–Si phases by picosecond and nanosecond pulsed laser quenching, **2** 325
influence of Nb addition on structure and properties of rapidly solidified intermetallics, **2** 257
microstructure of Ti_3Al + Nb alloys produced via rapid solidification processing, **2** 395
new amorphous Cu–Nb–(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders, **1** 47
structural investigations of rapidly quenched Nb–O–50at.%Co alloys, **2** 373
superconductivity in crystalline and amorphous Nb–Zr thin films, **3** 201

Nitrogen
microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion, **2** 531
synthesis and magnetic properties of Fe nitride thin films by double ion beam sputtering, **3** 23
Non-equilibrium alloys
non-equilibrium Ag–TM alloys produced by vapour quenching (TM ≡ Cr, Mn, Fe and Co), **2** 343
Non-equilibrium phenomena
non-equilibrium interface kinetics during rapid solidification: theory and experiment, **2** 369
Non-equilibrium processing
effects of non-equilibrium processing in the development of copper alloys, **2** 329
Nuclear magnetic resonance
high resolution solid nuclear magnetic resonance study of the electronic structure of rapidly quenched alloys, **3** 305
magnetic susceptibility and ^{31}P nuclear magnetic resonance study of the electronic structure of amorphous and crystalline Ni–Cu–P alloys, **3** 301
nuclear magnetic resonance studies of diffusion of hydrogen in amorphous alloys of the type Ni–Zr–P, **1** 431
proton and deuteron NMR in amorphous $TiCuD_x$, **1** 427
Nucleation
crystal nucleation and glass-forming ability of Cu–Zr in a containerless state, **1** 147
crystal nucleation in glass-forming alloys, **1** 285
crystallization and nucleation mechanisms in well-prepared Ni–Si–B glass, **1** 365
nucleation in bulk undercooled nickel-base alloys, **2** 85
transient nucleation in Zr-based metallic glasses, **1** 313

Optical reflectivity
optical reflectivity of glassy Pd–U–Si alloys, **3** 311
Order–disorder transformation
the effect of rapid solidification on the order–disorder transformation in iron-based alloys, **2** 281
Ordering
rapid solidification and ordering of B2 and $L2_1$ phases in the NiAl–NiTi system, **2** 273
Oxidation behavior
oxidation behavior of amorphous and polycrystalline Zr–Ni alloys, **3** 497
oxidation behaviour of some cobalt-based amorphous alloys, **3** 533

Packing energetics
local isosahedral packing energetics for d-band metals, **3** 349
Pair distribution
pair distribution function in icosahedral Al–Mn–Si alloy, **3** 427
Palladium
anelastic relaxation in amorphous $Pd_{39.5}Ni_{39.5}P_{21}$, **1** 541
close-packed phase with a seven-layer repeat unit prepared by rapid solidification: m-$Nb(Rh_{0.60}Pd_{0.40})_3$, **2** 157
compressive deformation of amorphous $Pd_{40}Ni_{40}P_{20}$, **2** 487
EXAFS study on mechanical deformation for Pd–Si amorphous alloy, **2** 553
glass temperatures of variously quenched Pd–Cu–Si glasses, **1** 191
H in some Pd–Si-based amorphous alloys and in the crystallized states, **3** 539
influence of heterogeneous nuclei on the solidification of $Pd_{77.5}Cu_6Si_{16.5}$ glassy alloy, **1** 195
low-temperature thermal and electrical resistivity in a Pd–Cu–Si metallic glass, **3** 231
optical reflectivity of glassy Pd–U–Si alloys, **3** 311
physical properties of icosahedral and glassy Pd–U–Si alloys, **3** 357
preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $Pd_{58.8}Si_{20.6}U_{20.6}$, **3** 431
solid–liquid interfacial energy of Pd–16.5at.%Si glasses, **1** 199
structural relaxation in Pd–Ge metallic glass, **1** 523
viscosity and structural relaxation in $Pd_{40}Ni_{40}P_{19}Si_1$, **1** 449
Paramagnetism
Hall effect in paramagnetic Co–Zr metallic glasses, **3** 187
pathways for microstructural development in TiAl, **2** 265
Peening
effects of peening on resistance to plastic deformation in a metallic glass, **2** 505
Penrose tilings
configurational entropy of two-dimensional random Penrose tilings, **3** 339
Peritectoid transformation
peritectoid transformation of quasicrystals in Al–Mn alloys, **3** 417
Permeability
fast dissipative and diffusional relaxation of the magnetic permeability in ferromagnetic metallic glasses, **3** 27
Phase boundaries
metastable phase boundaries of quasicrystalline phase, **3** 367
Phonon
measurements of the phonon density of states of amorphous $Ni_{0.95}Tb_{0.05}$, **1** 231
Phosphorus
anelastic relaxation in amorphous $Pd_{39.5}Ni_{39.5}P_{21}$, **1** 541
behaviour of Fe–Cr–P–C amorphous alloys in an alkaline medium: elementary composition of superficial layers and electrochemical characterization of alloy–solution interface, **3** 529
compressive deformation of amorphous $Pd_{40}Ni_{40}P_{20}$, **2** 487
crystallization of amorphous Cu–Ni–P alloys, **1** 351
diffusivity of H in amorphous $Ni_{81}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_{8.0}B_{12.8}$ alloys, **1** 437
effects of ultrahigh pressure on the crystallization temperature of $Ni_{80}P_{20}$ amorphous alloys, **1** 247
influence of P and S additions on the mechanical, surface and thermal properties of $Fe_{78}B_{13}Si_9$ amorphous alloy, **2** 495
irradiation-induced defects in amorphous $Fe_{40}Ni_{40}P_{20}$, **1** 173
magnetic susceptibility and ^{31}P NMR study of the electronic structure of Ni–Cu–P alloys, **3** 301
mechanical and magnetic properties of amorphous FeCrPC ribbons and wires, **2** 539
NMR studies of diffusion of H in amorphous alloys of the type Ni–Zr–P, **1** 431
relationship between crystallization temperature and pre-existing nuclei in amorphous Ni–P alloys **1** 399
viscoplastic properties of Fe–Cr–P–C amorphous alloys, **1** 493
viscosity and structural relaxation in $Pd_{40}Ni_{40}P_{19}Si_1$, **1** 449
Photoelectron spectroscopy
comparison of amorphous and liquid alloys by photelectron spectroscopy, **3** 257
electronic structure of $(Ni_{33}Zr_{67})_{85}X_{15}$ (X ≡ Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy, **3** 317
photoelectron spectroscopy of metallic glasses: bulk, interface and surface properties, **3** 239
Photoemission studies
photoemission studies on metallic glasses using synchrotron radiation, **3** 265
Photosensing device
measurements of ultrarapid solidification rates in greatly undercooled bulk melts with a high speed photosensing device, **2** 39

Physical properties
physical properties of icosahedral and glassy Pd–U–Si alloys, **3** 357
Planar flow casting
IR measurements of the melt puddle in planar flow casting, **2** 29
solidification structures of planar flow casting Fe–(20–47)at.%Al ribbons, **2** 295
IR thermography study of the temperature variation of an amorphous ribbon during production by planar flow casting, **2** 95
Plutonium
formation of metastable structures and amorphous phases in Pu-based systems using the triode sputtering technique, **2** 57
Precipitation hardening
microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder, **2** 531
precipitation hardening in rapidly quenched Ti–Zr–B alloys, **2** 179
Preparation
preparation and electrical properties of aluminium-based ternary and quaternary quasicrystals, **3** 435
preparation and IR properties of crystalline and amorphous tungsten and WSi_2 films, **2** 79
preparation and magnetic properties of Co–Gd amorphous alloy films by the electroplating method, **3** 105
preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $Pd_{58.8}Si_{20.6}U_{20.6}$, **3** 431
preparation of bulk amorphous alloys by explosive consolidation and properties of the prepared bulk, **2** 457
preparation of bulk amorphous alloys by high temperature sintering under a high pressure, **2** 415
Pressure characteristics
pressure characteristics at the pour-tube orifice in ultrasonic gas atomization, **2** 65
Process control
process control during high pressure atomization, **2** 47
Process parameters
effects of process parameters on melt-spun Ag–Cu, **2** 89

Quantum corrections
quantum corrections to the conductivity in $Mg_{70}Cu_{30-x}Au_x$, $x = 0, 1, 3, 9$, and $Mg_{70}Zn_{30-x}Au_x$, $x = 0, 3$, **3** 183
Quasicrystals
see **3** 321–456
Quenching conditions
influence of the quenching conditions on the formation of the icosahedral phase in Al–Mn alloys **3** 453
Quenching rate
effects of quenching rate on properties and structures of amorphous alloys, **2** 535
influence of quenching rate on the relaxation processes in a nearly non-magnetostrictive metallic glass, **1** 509
influence of quench rate and hydrogen absorption on the magnetic properties of melt-spun $Nd_{15}Fe_{77}B_8$, **3** 143

Rapid melting
rapid melting and rapid quenching with microsecond current pulses, **1** 105
Rapid solidification processing
see **2** 1–122
Rare earths
effect of liquid phase separation on the microstructure of rapidly solidified Ti–rare earth alloys, **2** 243
magnetic hardening in melt-spun Fe–R–B alloys, **3** 137
magnetic ordering behavior of rare-earth-substituted Fe–Zr amorphous alloys, **3** 69
rare-earth–Fe–B permanent magnets by rapid solidification processing, **3** 11
Refractories
preparation of refractory transition metal–metalloid amorphous alloys and their thermal stability, **1** 269
Relaxation
fast dissipative and diffusional relaxation of magnetic permeability in ferromagnetic metallic glasses, **3** 27
tetragonal distortion and its relaxation in rapidly quenched $L1_0$ TiAl compounds, **2** 269
Relaxation and diffusion phenomena in amorphous alloys
see **1** 403–548
Relaxation parameters
relaxation parameters to simulate the changes in magnetostriction in amorphous magnetic alloys, **1** 497
Relaxation processes
the influence of quenching rate on the relaxation processes in a nearly non-magnetostrictive metallic glass, **1** 509
Resistivity
resistivity changes during structural relaxation of amorphous $Fe_{40}Ni_{40}B_{20}$, **1** 505
scattering mechanism of resistivity in amorphous $Fe_{90-x}Co_xZr_{10}$ alloys, **3** 215
Resonant states
electronic properties and resonant states in Al–Mn(–Si) alloys, **3** 353
Rhodium
close-packed phase with a seven-layer repeat unit prepared by rapid solidification: m-$Nb(Rh_{0.60}Pd_{0.40})_3$, **2** 157
microstructure characterization and stability of rapidly solidified Ni–Au and Rh–Cu alloys, **2** 309
Ruthenium
formation powdered Hf–Ni, Hf–Cu and Hf–Ru materials by mechanical alloying methods, **1** 31
structure of quasicrystalline Al–Mn–Ru: X-ray and neutron studies, **3** 345

Scandium
electronic transport properties of glassy Fe–Sc alloys, **3** 179
Scattering mechanism
scattering mechanism of resistivity in amorphous $Fe_{90-x}Co_xZr_{10}$ alloys, **3** 215
scattering mechanisms and transport properties of Fe–transition metal–B amorphous alloys, **3** 223
Segregation
reduced segregation in rapidly solidified Cu–Ni–Sn alloys, **2** 335
segregation and structural effects of B in rapidly solidified Cu–B alloys, **3** 513
Shape memory
high ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni–Fe–Al system, **2** 515
improvement in the mechanical properties of rapidly solidified shape memory alloys, **2** 469
shape memory effects in rapidly quenched Cu–12%Al and Cu–12%Al–1%Si alloys, **2** 509
Shear
structure of magnetic domains surrounding metallic glass shear bands, **2** 483
Short-range order
changes in short-range order resulting from hydrogen absorption of Fe_2Ce and Fe_2Er metallic glasses, **1** 223
Silicon
absence of thermal embrittlement in some Fe–B and Fe–Si and Fe–Si–B glassy alloys, **2** 491
characterization and kinetics of the crystallization of Al–Ni–Si amorphous alloys, **1** 387
crystallization of icosahedral Al–Mn–Si, **3** 399
diffusivity of H in amorphous $Ni_{81}P_{19}$ and $Ni_{70}Cr_{6.7}Fe_{2.5}Si_{8.0}B_{12.8}$ alloys, **1** 437

electronic properties and resonant states in Al–Mn(–Si) alloys, **3** 353
EXAFS study on mechanical deformation for Pd–Si amorphous alloy, **2** 553
fatigue crack propagation in an $Ni_{78}Si_{10}B_{12}$ metallic glass with amorphous and partially crystalline structures, **2** 501
Fe–6.5wt.%Si ribbons prepared by the single- and double-roller techniques: comparative study of ribbon formation and microstructural preculiarities, **2** 75
formation metastable Nb–Si phases by picosecond and nanosecond pulsed laser quenching, **2** 325
glass temperatures of variously quenched Pd–Cu–Si glasses, **1** 191
H in some Pd–Si-based amorphous alloys and in the crystallized states, **3** 539
influence of Cu additions on the crystallization of amorphous Fe–Bi–Si alloys, **1** 361
influence of heterogeneous nuclei on the solidification of $Pd_{77.5}Cu_6Si_{16.5}$ glassy alloys, **1** 195
influence of P and S additions on the mechanical, surface and thermal properties of $Fe_{78}B_{13}Si_9$ amorphous alloy, **2** 495
influence of the induced anisotropy on the magnetic after-effect in amorphous $Co_{58}Ni_{10}Fe_5Si_{11}B_{16}$ alloy, **1** 519
low temperature calorimetric and magnetic properties of Al–Mn and Al–Mn–Si quasicrystals, **3** 439
low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, **1** 501
low-temperature thermal and electrical resistivity in a Pd–Cu–Si metallic glass, **3** 231
magnetic properties of amorphous FeC–SiB alloys annealed in a rotating magnetic field, **3** 53
microstructural characterization of rapidly solidified Al–Si alloys, **2** 149
microstructure of rapidly solidified and heat-treated Al–8Fe–2Mo–Si alloys, **2** 131
new amorphous Cu–Nb–(Si, Ge or Sn) alloys prepared by mechanical alloying of elemental powders, **1** 47
optical reflectivity of glassy Pd–U–Si alloys, **3** 311
pair distribution function in icosahedral Al–Mn–Si alloy, **3** 427
physical properties of icosahedral and glassy Pd–U–Si alloys, **3** 357
preparation and IR properties of crystalline and amorphous W and WSi_2 films, **2** 79
preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $Pd_{58.8}Si_{20.6}U_{20.6}$, **3** 431
production and properties of melt-spun Fe–6.5at.%Si ribbons, **3** 73
shape memory effects in rapidly quenched Cu–12%Al and Cu–12%Al–1%Si alloys, **2** 509
soft magnetic properties of crystalline Co–Fe–Si–B alloys prepared by sputtering, **3** 57
solid–liquid interfacial energy of Pd–16.5at.%Si glasses, **1** 199
solidification of an "amorphous" phase in rapidly solidified Al–Fe–Si alloys, **2** 213
structure analyses of amorphous melt-spun Fe–Zr–(B, Si) alloys and mechanically alloyed Fe–Zr powders, **1** 59
structure and properties of rapidly solidified Mg–Si alloys, **2** 313
study of thermal relaxation and crystallization of an $Fe_{81}B_{13.5}Si_{3.5}C_2$ amorphous ribbon, **1** 321
viscosity and structural relaxation in $Pd_{40}Ni_{40}P_{19}Si_1$, **1** 449

Silver
effects of process parameters on melt-spun Ag–Cu, **2** 89
non-equilibrium Ag–TM alloys produced by vapour quenching (TM ≡ Cr, Mn, Fe and Co), **2** 343
study of small-angle X-ray scattering Al–Ag alloys quenched from the liquid state, **2** 233

Single-roller method
Fe–6.5 wt.%Si ribbons prepared by the single- and double-roller techniques: a comparative study of ribbon formation and microstructural peculiarities, **2** 75

Sintering
comparative performance of Nd–(Fe, Co)–B magnets formed by rapid quenching and by sintering, **3** 123
preparation of bulk amorphous alloys by high temperature sintering under a high pressure, **2** 415

Softness
effects of the softness of the interionic pair potential on the liquid–glass transition, **1** 187

Solid state reactions
see **1** 1–136

Solidification
comparison of microstructures and solidification behaviour of melt-spun Cu–Ni ribbons and bulk undercooled Cu–Ni alloys, **2** 339
influence of heterogeneous nuclei on solidification of $Pd_{77.5}Cu_6Si_{16.5}$ glassy alloy, **1** 195
operative mechanisms in the solidification of undercooled melts, **1** 143
solidification on a substrate, **2** 13
solidification phenomena in formation process of rapidly solidified metallic wire, **2** 351

Solid solutions
atomic structures of unconventional solid solutions, **2** 377

Spark erosion quenching
characteristics of Ni_3Al + Fe powders produced by spark erosion quenching, **2** 33

Specific heat
electronic structure of $(Ni_{33}Zr_{67})_{1-x}X_x$ (X ≡ Ti, V, Cr, Mn, Fe, Co, Ni or Cu) ternary metallic glasses studied by low temperature specific heat measurements, **3** 289
specific heat behaviour on soft magnetic thick amorphous ribbons of an Fe–B–Si alloy, **3** 35

Spectroscopic ellipsometry
spectroscopic ellipsometry of amorphous $Ni_{0.95}Tb_{0.05}$ and crystalline nickel, **3** 281

Spray deposition
evaluation of Al and Ni alloy materials produced by spray deposition, **2** 227
spray deposition of metals: a review, **2** 381

Spray quenching
warm consolidation of spray-quenched amorphous Ni–Fe-based alloy powders, **2** 399

Sputtering
Co–Cr thin film preparation by facing targets sputtering, **2** 53
formation of metastable structures and amorphous phases in Pu-based systems using the triode sputtering technique, **2** 57
soft magnetic properties of microcrystalline Co–Fe–Si–B alloys prepared by sputtering, **3** 57

Stability
local structure and stability of amorphous Cu–Fe–Zr alloys, **3** 285
microstructural stability of rapidly solidified Cu–B alloys, **2** 161
microstructure characterization and stability of rapidly solidified Ni–Au and Rh–Cu alloys, **2** 309
stability of quasicrystalline phases in Al–Fe–V alloys, **3** 407

Stainless steel
dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition, **2** 425
microstructure of rapidly solidified stainless steel, **2** 301

Strain
strain-driven solid state amorphization of binary transition metal alloys, **1** 93

Strength
enhanced strength in high conductivity Cu alloys, **2** 543
Stress
viscous flow of amorphous alloys under compressive and tensile stresses, **1** 483
Structural model
structural model for commensurate and non-periodic carbides formed by crystallization of amorphous Fe–C alloys, **1** 273
Structural relaxation
algorithm to calculate activation energy spectra for structural relaxation in amorphous alloys, **1** 545
gaussian activation energy spectra in reversible and irreversible structural relaxation, **1** 469
kinetic analysis of structural relaxation in FeNiCrPB amorphous alloys by electrical resistivity measurements, **1** 537
measurements of structural relaxation in amorphous $Fe_{40}Ni_{40}B_{40}$ by differential scanning calorimetry, **1** 533
resistivity changes during structural relaxation of amorphous $Fe_{40}Ni_{40}B_{20}$, **1** 505
reversible structural relaxation in metallic glasses, **1** 461
structural relaxation in Pd–Ge metallic glass, **1** 523
structural relaxation of e^--irradiated amorphous alloys by tunnelling and thermally activated processes, **1** 473
viscosity and structural relaxation in $Pd_{40}Ni_{40}P_{19}Si_1$, **1** 449
Structures
atomic structures of unconventional solid solutions, **2** 377
effects of quenching rate on properties and structures of amorphous alloys, **2** 535
high pressure structural study of quasicrystalline Al–Mn, **3** 403
influence of Nb addition on structure and properties of rapidly solidified intermetallics, **2** 257
local structure and stability of amorphous Cu–Fe–Zr alloys, **3** 285
preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $Pd_{58.8}Si_{20.6}U_{20.6}$, **3** 431
segregation and structural effects of B in rapidly solidified Cu–B alloys, **3** 513
simulation of the influence of hydrogen on the structural properties of amorphous iron, **3** 551
solidification structures of planar flow casting Fe–(20–47)at.%Al ribbons, **2** 295
structural changes of amorphous $Fe_{1-x}C_x$ alloys at $x \approx 0.32$, **3** 31
structure analyses of amorphous melt-spun Fe–Zr–(B, Si) alloys and mechanically alloyed Fe–Zr powders, **1** 59
structure and formation of amorphous alloys *see* **1** 137–232
structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: the case of superconducting Pb–Bi–Ge, **2** 347
structure and properties of rapidly solidified Mg–Si alloys, **2** 313
structure of icosahedral Al–Mg–Cu alloy, **3** 423
structure of magnetic domains surrounding metallic glass shear bands, **2** 483
structure of quasi-crystalline Al–Mn–Ru: X-ray and neutron studies, **3** 345
structure properties and fracture of electron beam welds in RS–PM, Al–8Fe–2Mo, **2** 137
structures and properties of rapidly solidified Fe–Ni–Cr–C-based alloys, **2** 285
structures in rapidly solidified Zn, **2** 321
Substitution
influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe–B–Si alloys, **3** 39
Sulphur
influence of P and S additions on the mechanical, surface and thermal properties of $Fe_{78}B_{13}Si_9$ amorphous alloys, **2** 495
Superconducting transition
influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous binary metallic alloys M–Zr (M ≡ Fe, Co or Ni), **3** 309
Superconductivity
structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: the case of superconducting Pb–Bi–Ge, **2** 347
superconductivity in crystalline and amorphous Nb–Zr thin films, **3** 201
superconductivity in 3d series amorphous transition metal alloys, **3** 175
Surface crystallization
surface crystallization of metallic glasses, **1** 233
Surface melting
glass-forming conditions during laser surface melting, **1** 177
laser surface melting of a pearlitic grey cast iron, **2** 305
Surface properties
influence of P and S additions on the mechanical, surface and thermal properties of $Fe_{78}B_{13}Si_9$ amorphous alloy, **2** 495
Synchrotron radiation
photoemission studies on metallic glasses using synchrotron radiation, **3** 265
Synthesis
synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering, **3** 23
Tellurium
X-ray photoelectron spectroscopy on amorphous Cu_xTe_{100-x} and Ni_x and Ni_xTe_{100-x}, **3** 277
Temperature
IR thermography study of the temperature variation of an amorphous ribbon during production by planar flow casting, **2** 95
new concept of effective temperature to correlate isothermal and anisothermal continuous temperature–time-transformation curves—application of Fe–Ni–B amorphous alloys, **1** 297
temperature dependence of longitudinal magnetoresistance in amorphous Fe–Cr–Si–B alloys, **3** 211
Tensile properties
tensile and fatigue properties of two high-strength Al alloys prepared by rapid solidification technology, **2** 475
Terbium
magnetic behaviour in amorphous Tb_xCu_{1-x} alloys ($x = 0.18$, 0.22, 0.33, 0.50 and 0.65), **3** 161
measurements of the phonon density of states of amorphous $Ni_{0.95}Tb_{0.05}$, **1** 231
spectroscopic ellipsometry of amorphous $Ni_{0.95}Tb_{0.05}$ and crystalline Ni, **3** 281
Thermal properties
comparison between the thermal properties of Ni–Zr amorphous alloys obtained by mechanical alloying and melt-spinning, **1** 317
influence of P and S additions on the mechanical, surface and thermal properties of $Fe_{78}B_{13}Si_9$ amorphous alloy, **2** 495
magnetic and thermal properties of $(Nd_xFe_{1-x})_{82.5}B_{17.5}$ glasses, **3** 157
thermal properties of mechanically alloyed $Ni_{50}Ti_{50}$ powders, **1** 121
Thermal relaxation
study of thermal relaxation and crystallization of an $Fe_{81}B_{13.5}Si_{3.5}C_2$ amorphous ribbon, **1** 321

low-temperature thermal and electrical resistivity in a Pd–Cu–Si metallic glass, **3** 231

Thermal stability
comparative study of the thermal stabilities and crystallization processes of amorphous $Zr_{0.67}TM_{0.33-x}M_x$ alloys with TM ≡ Co or Ni, M ≡ P or Si and $0.00 \leqslant x \leqslant 0.12$ by differential scanning calorimetry and X-ray diffraction techniques, **1** 373
influence of the substitution of metallic elements on the thermal stability and magnetic properties of amorphous Fe–B–Si alloys, **3** 39
preparation of refractory transition metal–metalloid amorphous alloys and their thermal stability, **1** 269
thermal stability of the icosahedral phase in Al–Mn (Mn ≡ 4–15 at.%) alloys prepared by planar flow casting, **3** 385

Thermally activated processes
structural relaxation of e^- irradiated amorphous alloys by tunnelling and thermally activated processes, **1** 473

Thermodynamics
thermodynamics of H in amorphous alloys: lattice-gas model, **3** 463

Thermoelastic damping
low temperature internal friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, **1** 501

Thin films
Co–Cr thin film preparation by facing targets sputtering, **2** 53
electron transport in co-evaporated thin film and melt-spun ribbon $Al_{1-x}Mn_x$ alloys, **3** 219
microstructure studies in $Nd_2(Fe_{0.9}Co_{0.1})_{14}B$ thin films, **3** 153
superconductivity in crystalline and amorphous Nb–Ar thin films, **3** 201
synthesis and magnetic properties of iron nitride thin films by double ion beam sputtering, **3** 23

Thorium
microstructural coarsening at high temperatures in rapidly solidified Ti–5wt.%Al–2.9wt.%Y and Ti–5wt.%Al–7.5wt.%Th, **2** 173

Tin
reduced segregation in rapidly solidified Cu–Ni–Sn alloys, **2** 335

Titanium
effect of liquid phase separation on the microstructure of rapidly solidified Ti–rare earth alloys, **2** 243
electrochemical behaviour of Cu–Ti glassy alloys, **3** 517
embrittlement of Ni–Ti–B glasses during crystallization, **1** 279
formation and crystallization of amorphous phases in the Ti–Be–Al system, **1** 379
joining mechanism of ceramics to metals using an amorphous Ti-based filter metal, **2** 407
large-angle neutron scattering studies of amorphous Fe_xTi_{1-x} alloys and hydrides, **1** 157
long-range ordering in rapidly quenched Ti–Al compounds, **2** 169
microstructural coarsening at high temperatures in rapidly solidified Ti–5wt.%Al–2.9wt.%Y and Ti–5wt.%Al–7.5wt.%Th, **2** 173
microstructural study of rapidly solidified Ti eutectoid alloys, **2** 251
microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidfied powder, **2** 531
microstructure of Ti_3Al + Nb alloys produced via rapid solidification processing, **2** 395
microstructures of rapidly quenched Ti–V–Cr–Er alloys, **2** 239
neutron diffraction study of the crystallization of hydrogenated Cu–Ti amorphous alloys, **1** 391
pathways for microstructural development in TiAl, **2** 265
precipitation hardening in rapidly quenched Ti–Zr–B alloys, **2** 179
properties of as-quenched and hydrogenated Cu–Fe–Ti alloys, **3** 543
properties of equiatomic TiNi alloy produced by rapid solidification, **2** 443
proton and deuteron NMR in amorphous $TiCuD_x$, **1** 427
rapid solidification and ordering B2 and $L2_1$ phases in the NiAl–NiTi system, **2** 273
solid state amorphization in Ni/Ti multilayers, **1** 101
tetragonal distortion and its relaxation in rapidly quenched $L1_0$ TiAl compounds, **2** 269
thermal properties of mechanically alloyed $Ni_{50}Ti_{50}$ powder, **1** 121
X-ray diffraction study of the amorphization process in mechanical alloying of the Ni–Ti system, **1** 43

Topological ordering
topological ordering in model metallic glasses, **1** 441

Tracer diffusion
tracer diffusion in amorphous alloys, **1** 409

Transformation
crystal-to-glass transformation in metallic materials, **1** 1

Transformer
new design for amorphous core distribution transformer, **3** 19

Transition metals
amorphous transition metal–Zr alloys prepared by milling, **1** 133
comparative study of the thermal stabilities of crystallization processes of amorphous $Zr_{0.67}TM_{0.33-x}M_x$ alloys with TM ≡ Co or Ni, M ≡ P or Si and $0.00 \leqslant x \leqslant 0.12$ by DSC and X-ray diffraction techniques, **1** 373
compositional correlations in the crystallization of Fe–transition metal–B glasses, **1** 325
electronic structure of amorphous transition metal alloys, **3** 245
electronic structures of $(Ni_{33}Zr_{67})_{85}X_{15}$ (X ≡ Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy, **3** 317
electronic structure of $(Ni_{33}Zr_{67})_{1-x}X_x$ (X ≡ Ti, V, Cr, Mn, Fe, Co, Ni or Cu) ternary metallic glasses studied by low temperature specific heat measurements, **3** 289
non-equilibrium alloys Ag–TM alloys produced by vapour quenching (TM ≡ Cr, Mn, Fe and Co), **2** 343
preparation of refractory transition metal–metalloid amorphous alloys and their thermal stability, **1** 269
scattering mechanisms and transport properties of Fe–transition metal–B amorphous alloys, **3** 223
strain-driven solid state amorphization of binary transition metal alloys, **1** 93

Transition metal alloys
superconductivity in 3d series amorphous transition metal alloys, **3** 175

Transport properties
scattering mechanisms and transport properties of Fe–transition metal–B amorphous alloys, **3** 223

Tungsten
preparation and IR properties of crystalline and amorphous tungsten and WSi_2 films, **2** 79
rapidly solidified tungsten-based alloys, **2** 165

Tunnelling
structural relaxation of e^--irradiated amorphous alloys by tunnelling and thermally activated processes, **1** 473

Ultrahigh pressure
effects of ultrahigh pressure on the crystallization temperature of $Ni_{80}P_{20}$ amorphous alloys, **1** 247

Ultrarapid solidification
measurements of ultrarapid solidification rates in greatly undercooled bulk melts with a high speed photosensing device, **2** 39
Ultrasonic gas atomization
fluid flow behaviour and solidification studies during ultrasonic gas atomization, **2** 43
pressure characteristics at the pour-tube orifice in ultrasonic gas atomization, **2** 65
production of rapidly solidified Al–Pb–Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction, **2** 119
Undercooled melts
operative mechanisms in the solidification of undercooled melts, **1** 143
Uranium
optical reflectivity of glassy Pd–U–Si alloys, **3** 311
physical properties of icosahedral and glassy Pd–V–Si alloys, **3** 357
preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $Pd_{58.8}Si_{20.6}U_{20.6}$, **3** 431

Valve metal
laser and electron beam processing of electrodes consisting of amorphous Ni–valve metal–platinum group metal surface alloys on valve metal, **3** 489
Vanadium
microstructures of rapidly quenched Ti–V–Cr–Er alloys, **2** 239
rapid solidification of Al-rich Al–V alloys, **2** 207
stability of quasicrystalline phases in Al–Fe–V alloys, **3** 407
Vapour quenching
non-equilibrium alloys Ag–TM alloys produced by vapour quenching (TM ≡ Cr, Mn, Fe and Co), **2** 343
Viscoplastic properties
viscoplastic properties of a Fe–Cr–P–C amorphous alloy, **1** 493
Viscosity
viscosity and structural relaxation in $Pd_{40}Ni_{40}P_{19}Si_1$, **1** 449
Viscous flow
viscous flow behaviour of the metallic glass $Ni_{30}Zr_{70}$ under continuous heating, **1** 487
viscous flow in amorphous $Fe_{78}B_{13}Si_9$ alloy, **1** 479
viscous flow of amorphous alloys under compressive and tensile stresses, **1** 483

Water quenching
magnetic stability of water-quenched Co-based amorphous alloy, **3** 119
Wetting
some considerations on wetting behaviour in liquid-alloy–substrate-metal systems, **2** 111
Wire
solidification phenomena in formation process of rapidly solidified metallic wire, **2** 351
Wire-casting
fundamental experimental parameters in the direct wire-casting process, **2** 21

XANES
X-ray absorption near edge structure (XANES)—criterion for modelling the three-dimensional structure of amorphous $Fe_{80}B_{20}$, **1** 169
X-ray absorption spectroscopy
solid state reaction in multilayers studied by X-ray absorption spectroscopy, **1** 109
X-ray diffraction
comparative study of the thermal stabilities and crystallization processes of amorphous $Zr_{0.67}TM_{0.33-x}M_x$ alloys with TM ≡ Co or Ni, M ≡ P or Si and $0.00 \leqslant x \leqslant 0.12$ by differential scanning calorimetry and X-ray diffraction techniques, **1** 373
X-ray diffraction study of the amorphous process in mechanical alloying of the Ni–Ti system, **1** 43
X-ray diffraction study of the crystallization characteristics of amorphous Co–B ribbons, **1** 329
X-ray photoelectron spectrocopy
many-electron effects and multiplet splittings in X-ray photoelectron spectroscopy as a diagnostic tool for metallic glasses, **3** 261
X-ray photoelctron spectroscopy on amorphous Cu_xTe_{100-x} and Ni_xTe_{100-x}, **3** 277
X-ray scattering
phase separtaion in amorphous Zr–Fe alloys determined by anomalous X-ray scattering and magnetization measurements, **1** 163
preparation and structural investigation by X-ray and neutron scattering of quasicrystalline and glassy $Pd_{58.8}Si_{20.6}U_{20.6}$, **3** 431
X-ray small-angle scattering
neutron and X-ray small-angle scattering with Fe-based metallic glasses, **1** 227
study of small-angle X-ray scattering of Al–Ag alloys quenched from the liquid state, **2** 233
X-ray studies
structure of quasicrystalline Al–Mn–Ru: X-ray and neutron studies, **3** 345

Yttrium
corrosion behaviour of rapidly solidified Mg–Nd and Mg–Y alloys, **3** 507
magnetic properties of amorphous Gd_4Fe_3 and Y_4Fe_3 alloys, **3** 113
microstructural coarsening at high temperatures in rapidly solidified Ti–5wt.%Al–2.9wt.%Y and Ti–5wt.%Al–7.5wt.%Th, **2** 173

Zinc
quantum corrections to the conductivity in $Mg_{70}Cu_{30-x}Au_x$, $x = 0, 1, 3, 9$, and $Mg_{20}Zn_{30-x}Au_x$, $x = 0, 3$, **3** 183
structures in rapidly solidified Zn, **2** 321
Zirconium
amorphous transition metal–Zr alloys prepared by milling, **1** 133
comparative study of the thermal stabilities and crystallization processes of amorphous $Zr_{0.67}TM_{0.33-x}M_x$ alloys with TM ≡ Co or Ni, M ≡ P or Si and $0.00 \leqslant x \leqslant 0.12$ by DSC and X-ray diffraction techniques, **1** 373
comparison between the thermal properties of Ni–Zr amorphous alloys obtained by mechanical alloying and melt spinning, **1** 317
crystal nucleation and glass-forming ability of Cu–Zr in a containerless state, **1** 147
crystallization of amorphous $NiZr_2$, **1** 307
determination of the free energy of equilibrium and metastable phases in the Cu–Zr system, **1** 79
development of Al–Cr–X and Al–Cr–Zr–X alloys by rapid solidification from the melt, **2** 143
differential scanning calorimetry study of solid state amorphization in multilayer Ni/Zr, **1** 83
electronic structure of hydrogenerated amorphous Ni–Zr alloys, **3** 253
electronic structure of $(Ni_{33}Zr_{67})_{85}X_{15}$ (X ≡ Ti, V, Cr, Mn, Fe, Co and Cu) metallic glasses studied by photoelectron spectroscopy, **3** 317
electronic structure of $(Ni_{33}Zr_{67})_{1-x}X_x$ (X ≡ Ti, V, Cr, Mn, Fe, Co, Ni or Cu) ternary metallic glasses studied by low temperature specific heat measurements, **3** 289
formation and properties of mechanically alloyed amorphous Fe–Zr, **1** 39

formation of amorphous Ni–Zr powders by mechanical alloying, **1** 25
Hall effect in paramagnetic Co–Zr metallic glasses, **3** 187
host and H diffusion in Ni–Zr metallic glass, **1** 419
influence of hydrostatic pressure on the superconducting transition temperature and critical field in the amorphous lining metallic alloys M–Zr (M ≡ Fe, Co or Ni), **3** 309
investigation of the microstructure of an $Fe_{91}Zr_9$ catalyst prepared from the amorphous alloy, **3** 501
local evidence for re-entrant magnetic behaviour in amorphous $Fe_{90}Zr_{10}$ alloys, **3** 65
local structure and stability of amorphous Cu–Fe–Zr alloys, **3** 285
low temperature interval friction peaks and thermoelastic damping in $Ni_{78}Si_8B_{14}$ and $CoZr_2$ metallic glasses, **1** 501
magnetic ordering behaviour of rare-earth-substituted Fe–Zr amorphous alloys, **3** 69
microstructural stability of rapidly quenched Al–Fe alloys: Influenced of zirconium, **2** 191
NMR studies of diffusion of H in amorphous alloys of the type Ni–Zr–P, **1** 431
oxidation behaviour of amorphous and polycrystalline Zr–Ni alloys, **3** 497
phase separation in amorphous Zr–Fe alloys determined by anomalous X-ray scattering magnetization measurements, **1** 163
scattering mechanism of resistivity in amorphous $Fe_{90-x}Co_xZr_{10}$ alloys, **3** 215
solid state interdiffusion reactions on Ni/Zr diffusion couples
solid-state reaction and electrocatalytic activity of rapidly quenched $Zr_{50}Co_{30}Ni_{20}$ alloys, **3** 469
structure analyses of amorphous Fe–Zr–(B, Si) alloys and mechanically alloyed Fe–Zr powders, **1** 59
superconductivity in crystalline and amorphous Nb–Zr thin films, **3** 201
transient nucleation in Zr–based metallic glasses, **1** 313
viscous flow behaviour of the metallic glass $Ni_{30}Zr_{70}$ under continuous heating, **1** 487